



high_Egamma Ty proton: max F_3 regions



Ty proton characteristic max F_3 configuration

3D momenta




f3_high_egamma_ty_proton_region_0 F_3=0
 region: high_Egamma_Ty_proton_region_0
 outgoing-state purity: 0.502407
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2} \sum_{h_e} \rho(h_e, T_{y,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.356666$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_Y=1.8$, $\phi_Y=0$
 $Q^2=16.1715$, $x_B=0.817396$, $t=-3.08551$, $W^2=4.49252$, $y=0.958721$
 $\theta(l', \gamma)=168.792$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

Particle	E	p_x	p_y	p_z
l	2.2244	2.2244	-0.0000	-0.0000
P	2.4141	-2.2244	0.0000	0.0000
l'	1.8350	-1.8000	-0.3567	0.0000
P'	1.0035	0.0000	0.3567	0.0000
q_Y	1.8000	1.8000	0.0000	0.0000

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Ty proton characteristic max F_3 configuration

3D momenta




f3_high_egamma_ty_proton_region_1 F_3=0
 region: high_Egamma_Ty_proton_region_1
 outgoing-state purity: 0.500539
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2} \sum_{h_e} \rho(h_e, T_{y,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0972621$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_V=1.8$, $\phi_V=1.37445$
 $Q^2=9.99498$, $x_B=0.766106$, $t=-2.79344$, $W^2=3.93133$, $y=0.632219$
 $\theta(l', \gamma)=179.426$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 1.8955$ $p_x= -0.3512$ $p_y= -1.8627$ $p_z= 0.0000$
 P' $E= 0.9430$ $p_x= 0.0000$ $p_y= 0.0973$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.3512$ $p_y= 1.7654$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=7, retained=99.8%)



Ty proton characteristic max F_3 configuration

3D momenta




f3_high_egamma_ty_proton_region_2 F_3=0
 region: high_Egamma_Ty_proton_region_2
 outgoing-state purity: 0.500418
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{\gamma, p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.190824$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_\gamma=1.8$, $\phi_\gamma=2.74889$
 $Q^2=0.971273$, $x_B=0.233797$, $t=-2.86193$, $W^2=4.06292$, $y=0.201316$
 $\theta(l', \gamma)=174.623$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 1.8813$ $p_x= 1.6630$ $p_y= -0.8797$ $p_z= 0.0000$
 P' $E= 0.9572$ $p_x= 0.0000$ $p_y= 0.1908$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.6630$ $p_y= 0.6888$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Ty proton characteristic max F_3 configuration

3D momenta




f3_high_egamma_ty_proton_region_3 F_3=0
 region: high_Egamma_Ty_proton_region_3
 outgoing-state purity: 0.512584
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2} \sum_{h_e} \rho(h_e, T_{Y,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.57742$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_\gamma=1.8$, $\phi_\gamma=4.12334$
 $Q^2=0.0144881$, $x_B=0.00127727$, $t=-7.10119$, $W^2=12.2084$, $y=0.54967$
 $\theta(l', \gamma)=119.132$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 1.0033$ $p_x= 1.0000$ $p_y= -0.0808$ $p_z= 0.0000$
 P' $E= 1.8352$ $p_x= 0.0000$ $p_y= 1.5774$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.0000$ $p_y= -1.4966$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=6, retained=100.0%)

