



low_Egamma Ty proton: max $C_{e\gamma}$ regions



Ty proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_ty_proton_region_0 C_{e\gamma}=0.000504326
region: low_Egamma_Ty_proton_region_0 final-pair delta_xy=0 rad
outgoing-state purity: 0.516743
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, T_{y,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_i=3.43612$, $\phi_p=0.294524$
 $E_\gamma=0.25$, $\phi_\gamma=4.71239$
 $Q^2=6.23404$, $x_B=0.728846$, $t=-7.02339$, $W^2=3.1991$, $y=0.414484$
 $\theta(\ell', \gamma)=0$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.2244$	$p_x= -2.1286$	$p_y= -0.6457$	$p_z= -0.0000$
P	$E= 2.4141$	$p_x= 2.1286$	$p_y= 0.6457$	$p_z= 0.0000$
ℓ'	$E= 1.9744$	$p_x= 0.0000$	$p_y= -1.9744$	$p_z= 0.0000$
P'	$E= 2.4141$	$p_x= 0.0000$	$p_y= 2.2244$	$p_z= 0.0000$
q_γ	$E= 0.2500$	$p_x= -0.0000$	$p_y= -0.2500$	$p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Ty proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_ty_proton_region_1 $C_{\{e\gamma\}}=0.000504326$
 region: low_Egamma_Ty_proton_region_1 final-pair delta_xy=0 rad
 outgoing-state purity: 0.516743
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{y,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=5.98866$, $\phi_P=2.84707$
 $E_\gamma=0.25$, $\phi_\gamma=4.71239$
 $Q^2=6.23404$, $x_B=0.728846$, $t=-7.02339$, $W^2=3.1991$, $y=0.414484$
 $\theta(l', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.1286$ $p_y= -0.6457$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.1286$ $p_y= 0.6457$ $p_z= 0.0000$
 l' $E= 1.9744$ $p_x= 0.0000$ $p_y= -1.9744$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0000$ $p_y= -0.2500$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Ty proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_ty_proton_region_2 $C_{e\gamma}=2.75476e-05$
 region: low_Egamma_Ty_proton_region_2 final-pair delta_xy=0 rad
 outgoing-state purity: 0.501447
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{y,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=2.06167$, $\phi_P=5.20326$
 $E_\gamma=0.25$, $\phi_\gamma=4.71239$
 $Q^2=16.5305$, $x_B=0.876961$, $t=-18.6236$, $W^2=3.1991$, $y=0.913442$
 $\theta(l', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.0486$ $p_y= 1.9618$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.0486$ $p_y= -1.9618$ $p_z= 0.0000$
 l' $E= 1.9744$ $p_x= 0.0000$ $p_y= -1.9744$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0000$ $p_y= -0.2500$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=2, retained=99.4%)

