



low_Egamma L massless lepton: max $C_{p\gamma}$ regions



L massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_electron_region_0 C_{p\gamma}=0.494721
region: low_Egamma_L_electron_region_0 final-pair delta_xy=2.74889 rad
outgoing-state purity: 0.601242
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{\ell_0}, h_p)$

s=21.5158, $\sqrt{s}$ =4.63852, $|\vec{P}|$ =2.22442, $|\vec{P}'|$ =2.21331
 θ_{in} =1.57079, ϕ_{ℓ} =4.71239, ϕ_P =1.5708
 E_{γ} =0.25, ϕ_{γ} =5.10509
 Q^2 =0.0102647, x_B =0.00459348, t =-1.87039e-05, W^2 =3.10419, y =0.108287
 $\theta(\ell', \gamma)$ =25.263 deg

four-momenta [E, p_x, p_y, p_z] GeV:
 ℓ E= 2.2244 p_x= -0.0000 p_y= -2.2244 p_z= -0.0000
 P E= 2.4141 p_x= 0.0000 p_y= 2.2244 p_z= 0.0000
 ℓ' E= 1.9846 p_x= -0.0957 p_y= -1.9823 p_z= 0.0000
 P' E= 2.4039 p_x= 0.0000 p_y= 2.2133 p_z= 0.0000
 q_{γ} E= 0.2500 p_x= 0.0957 p_y= -0.2310 p_z= 0.0000

Transverse plane




$h_e=+1, h_p=-1, h_{\gamma}=+1$
massless lepton L, proton h=+1

 $h_e=+1, h_p=+1, h_{\gamma}=-1$
massless lepton L, proton h=-1

 $h_e=+1, h_p=-1, h_{\gamma}=-1$
massless lepton L, proton h=-1


 $h_e=+1, h_p=+1, h_{\gamma}=-1$
massless lepton L, proton h=+1

Leading initial-ensemble/final-state components (N=4, retained=99.8%)



L massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_electron_region_1 $C_{p\gamma}=0.262504$
 region: low_Egamma_L_electron_region_1 final-pair delta_xy=2.15984 rad
 outgoing-state purity: 0.532332
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{\ell_0}, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.16098$
 $\theta_{in}=1.57079$, $\phi_{\ell}=4.71239$, $\phi_P=1.5708$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=3.73064$
 $Q^2=0.0474074$, $x_B=0.0259684$, $t=-0.000622637$, $W^2=2.65802$, $y=0.0884659$
 $\theta(\ell', \gamma)=62.1193$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.0327$ $p_x= 0.2079$ $p_y= -2.0221$ $p_z= 0.0000$
 P' $E= 2.3558$ $p_x= 0.0000$ $p_y= 2.1610$ $p_z= 0.0000$
 γ $E= 0.2500$ $p_x= -0.2079$ $p_y= -0.1389$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_electron_region_2 C_{p\gamma}=0.122248
region: low_Egamma_L_electron_region_2 final-pair delta_xy=1.37445 rad
outgoing-state purity: 0.507955
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{l_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.06107$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=0.19635$
 $Q^2=0.0631736$, $x_B=0.0635316$, $t=-0.00429535$, $W^2=1.81103$, $y=0.0481859$
 $\theta(l', \gamma)=107.879$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 2.1240$ $p_x= -0.2452$ $p_y= -2.1098$ $p_z= 0.0000$
 P' $E= 2.2645$ $p_x= 0.0000$ $p_y= 2.0611$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2452$ $p_y= 0.0488$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
massless lepton L, proton h=+1


$h_e=+1, h_p=+1, h_\gamma=-1$
massless lepton L, proton h=-1

Leading initial-ensemble/final-state components (N=2, retained=98.6%)



L massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_electron_region_3 $C_{\{p\}\gamma}=0.0624678$
region: low_Egamma_L_electron_region_3 final-pair delta_xy=0.785398 rad
outgoing-state purity: 0.502091
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{\ell_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.99765$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=4.71239$, $\phi_P=1.5708$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=2.35619$
 $Q^2=0.0319157$, $x_B=0.0743792$, $t=-0.00849544$, $W^2=1.27702$, $y=0.0207935$
 $\theta(\ell', \gamma)=139.648$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.1816$ $p_x= 0.1768$ $p_y= -2.1744$ $p_z= 0.0000$
 P' $E= 2.2069$ $p_x= 0.0000$ $p_y= 1.9977$ $p_z= 0.0000$
 γ $E= 0.2500$ $p_x= -0.1768$ $p_y= 0.1768$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=-1, h_{\gamma}=+1$
massless lepton L, proton $h=+1$

$h_e=+1, h_p=+1, h_{\gamma}=-1$
massless lepton L, proton $h=-1$

Leading initial-ensemble/final-state components (N=2, retained=99.6%)

