


high_Egamma L proton: max $C_{p\gamma}$ regions





L proton characteristic max $C_{p\gamma}$ configuration

c_p_gamma_high_egamma_l_proton_region_0 C_{p\gamma}=0.681034
region: high_Egamma_L_proton_region_0 final-pair delta_xy=3.04342 rad
outgoing-state purity: 0.653748
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0},L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20096$
 $\theta_{in}=1.57079$, $\phi_{\ell}=4.71239$, $\phi_P=1.5708$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=4.81056$
 $Q^2=0.161846$, $x_B=0.00971456$, $t=-8.37948e-05$, $W^2=17.3782$, $y=0.807336$
 $\theta(\ell',\gamma)=28.9268$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 0.4460$ $p_x= -0.1764$ $p_y= -0.4096$ $p_z= 0.0000$
 P' $E= 2.3925$ $p_x= 0.0000$ $p_y= 2.2010$ $p_z= 0.0000$
 q_{γ} $E= 1.8000$ $p_x= 0.1764$ $p_y= -1.7913$ $p_z= 0.0000$




$h_e=+1, h_p=-1, h_{\gamma}=+1$
massless lepton $h=+1$, proton L

$h_e=-1, h_p=+1, h_{\gamma}=+1$
massless lepton $h=-1$, proton L

$h_e=+1, h_p=+1, h_{\gamma}=-1$
massless lepton $h=+1$, proton L


$h_e=-1, h_p=-1, h_{\gamma}=+1$
massless lepton $h=-1$, proton L

Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_l_proton_region_1 C_{p\gamma}=0.206819
 region: high_Egamma_L_proton_region_1 final-pair delta_xy=2.35619 rad
 outgoing-state purity: 0.586681
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0}, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.25347$
 $\theta_{in}=1.57079$, $\phi_l=3.53429$, $\phi_p=0.392699$
 $E_\gamma=1.8$, $\phi_\gamma=5.49779$
 $Q^2=0.464572$, $x_B=0.0499999$, $t=-3.66521$, $W^2=9.70675$, $y=0.450256$
 $\theta(l', \gamma)=135.87$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -2.0551$ $p_y= -0.8512$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.0551$ $p_y= 0.8512$ $p_z= 0.0000$
 l' $E= 1.2729$ $p_x= -1.2728$ $p_y= 0.0193$ $p_z= 0.0000$
 P' $E= 1.5656$ $p_x= 0.0000$ $p_y= 1.2535$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.2728$ $p_y= -1.2728$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=6, retained=98.7%)





L proton characteristic max $C_{p\gamma}$ configuration

c_p_gamma_high_egamma_l_proton_region_2 C_{p\gamma}=0.206819
region: high_Egamma_L_proton_region_2 final-pair delta_xy=2.35619 rad
outgoing-state purity: 0.586681
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0}, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.25347$
 $\theta_{in}=1.57079$, $\phi_l=5.89049$, $\phi_P=2.74889$
 $E_\gamma=1.8$, $\phi_\gamma=3.92699$
 $Q^2=0.464572$, $x_B=0.0499999$, $t=-3.66521$, $W^2=9.70675$, $y=0.450256$
 $\theta(l', \gamma)=135.87$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.0551$ $p_y= -0.8512$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.0551$ $p_y= 0.8512$ $p_z= 0.0000$
 l' $E= 1.2729$ $p_x= 1.2728$ $p_y= 0.0193$ $p_z= 0.0000$
 P' $E= 1.5656$ $p_x= 0.0000$ $p_y= 1.2535$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.2728$ $p_y= -1.2728$ $p_z= 0.0000$



Leading initial-ensemble/final-state components (N=6, retained=98.7%)

