



low_Egamma L proton: max F_3 regions



L proton characteristic max F_3 configuration

3D momenta




f3_low_egamma_l_proton_region_0 F_3=9.05942e-14
 region: low_Egamma_L_proton_region_0
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0}, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.96296$
 $\theta_{in}=1.57079$, $\phi_\ell=1.5708$, $\phi_p=4.71239$
 $E_\gamma=0.25$, $\phi_\gamma=1.5708$
 $Q^2=19.6902$, $x_B=0.99463$, $t=-17.4772$, $W^2=0.986143$, $y=0.959318$
 $\theta(\ell', \gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.2130$ $p_x= -0.0000$ $p_y= -2.2130$ $p_z= 0.0000$
 P' $E= 2.1756$ $p_x= 0.0000$ $p_y= 1.9630$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0000$ $p_y= 0.2500$ $p_z= 0.0000$


Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$
 massless lepton h=+1, proton L

$h_e=+1, h_p=+1, h_\gamma=-1$
 massless lepton h=+1, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)




L proton characteristic max F_3 configuration



f3_low_egamma_l_proton_region_1 F_3=0
 region: low_Egamma_L_proton_region_1
 outgoing-state purity: 0.709767
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2} \sum_{h_{l_0}} \rho(h_{l_0}, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.08621$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_\gamma=0.25$, $\phi_\gamma=0$
 $Q^2=10.4598$, $x_B=0.901436$, $t=-9.28425$, $W^2=2.02353$, $y=0.562294$
 $\theta(l', \gamma)=96.8334$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 2.1011$ $p_x= -0.2500$ $p_y= -2.0862$ $p_z= 0.0000$
 P' $E= 2.2874$ $p_x= 0.0000$ $p_y= 2.0862$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2500$ $p_y= 0.0000$ $p_z= 0.0000$




$h_e=+1, h_p=+1, h_\gamma=+1$
 massless lepton $h=+1$, proton L
 $h_e=+1, h_p=+1, h_\gamma=-1$
 massless lepton $h=+1$, proton L
 $h_e=-1, h_p=+1, h_\gamma=-1$
 massless lepton $h=-1$, proton L
 $h_e=-1, h_p=+1, h_\gamma=+1$
 massless lepton $h=-1$, proton L
 $h_e=+1, h_p=-1, h_\gamma=+1$
 massless lepton $h=+1$, proton L
 $h_e=-1, h_p=-1, h_\gamma=-1$
 massless lepton $h=-1$, proton L
 $h_e=+1, h_p=-1, h_\gamma=-1$
 massless lepton $h=+1$, proton L
 $h_e=-1, h_p=-1, h_\gamma=+1$
 massless lepton $h=-1$, proton L

Leading initial-ensemble/final-state components (N=8, retained=100.0%)



L proton characteristic max F_3 configuration

3D momenta




f3_low_egamma_l_proton_region_2 F_3=0
 region: low_Egamma_L_proton_region_2
 outgoing-state purity: 0.69458
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0}, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.9652$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_P=3.14159$
 $E_V=0.25$, $\phi_V=1.37445$
 $Q^2=10.0531$, $x_B=0.987712$, $t=-8.75411$, $W^2=1.00491$, $y=0.493223$
 $\theta(l', \gamma)=170.014$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 2.2109$ $p_x= -0.0488$ $p_y= -2.2104$ $p_z= 0.0000$
 P' $E= 2.1776$ $p_x= 0.0000$ $p_y= 1.9652$ $p_z= 0.0000$
 q_V $E= 0.2500$ $p_x= 0.0488$ $p_y= 0.2452$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)




L proton characteristic max F_3 configuration

f3_low_egamma_l_proton_region_3 F_3=0
 region: low_Egamma_L_proton_region_3
 outgoing-state purity: 0.667311
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.03741$
 $\theta_{in}=1.57079$, $\phi_{\ell}=0$, $\phi_P=3.14159$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=2.74889$
 $Q^2=8.51766$, $x_B=0.920898$, $t=-9.0698$, $W^2=1.61148$, $y=0.448212$
 $\theta(\ell', \gamma)=118.68$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 ℓ' $E= 2.1456$ $p_x= 0.2310$ $p_y= -2.1331$ $p_z= 0.0000$
 P' $E= 2.2430$ $p_x= 0.0000$ $p_y= 2.0374$ $p_z= 0.0000$
 q_{γ} $E= 0.2500$ $p_x= -0.2310$ $p_y= 0.0957$ $p_z= 0.0000$

3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)

