



mid_Egamma L proton: max $C_{p\gamma}$ regions



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_l_proton_region_0 $C_{p\gamma}=0.617604$
 region: mid_Egamma_L_proton_region_0 final-pair delta_xy=2.94524 rad
 outgoing-state purity: 0.531619
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0}, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20638$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=1$, $\phi_\gamma=4.51604$
 $Q^2=0.068646$, $x_B=0.00746834$, $t=-4.94515e-05$, $W^2=10.0028$, $y=0.445416$
 $\theta(l', \gamma)=20.2945$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 1.2410$ $p_x= 0.1951$ $p_y= -1.2256$ $p_z= 0.0000$
 P' $E= 2.3975$ $p_x= 0.0000$ $p_y= 2.2064$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.1951$ $p_y= -0.9808$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_l_proton_region_1 C_{p\gamma}=0.313279
 region: mid_Egamma_L_proton_region_1 final-pair delta_xy=1.5708 rad
 outgoing-state purity: 0.528905
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0}, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.5395$
 $\theta_{in}=1.57079$, $\phi_l=4.61421$, $\phi_P=1.47262$
 $E_\gamma=1$, $\phi_\gamma=3.14159$
 $Q^2=1.78711$, $x_B=0.3314$, $t=-0.128343$, $W^2=4.48534$, $y=0.26132$
 $\theta(l', \gamma)=123.006$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.2180$ $p_y= -2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.2180$ $p_y= 2.2137$ $p_z= 0.0000$
 l' $E= 1.8358$ $p_x= 1.0000$ $p_y= -1.5395$ $p_z= 0.0000$
 P' $E= 1.8027$ $p_x= 0.0000$ $p_y= 1.5395$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -1.0000$ $p_y= 0.0000$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=6, retained=99.5%)




L proton characteristic max $C_{p\gamma}$ configuration

c_p_gamma_mid_egamma_l_proton_region_2 C_{p\gamma}=0.313279
region: mid_Egamma_L_proton_region_2 final-pair delta_xy=1.5708 rad
outgoing-state purity: 0.528905
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0},L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.5395$
 $\theta_{in}=1.57079$, $\phi_{\ell}=4.81056$, $\phi_P=1.66897$
 $E_{\gamma}=1$, $\phi_{\gamma}=0$
 $Q^2=1.78711$, $x_B=0.3314$, $t=-0.128343$, $W^2=4.48534$, $y=0.26132$
 $\theta(\ell',\gamma)=123.006$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.2180$ $p_y= -2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.2180$ $p_y= 2.2137$ $p_z= 0.0000$
 ℓ' $E= 1.8358$ $p_x= -1.0000$ $p_y= -1.5395$ $p_z= 0.0000$
 P' $E= 1.8027$ $p_x= 0.0000$ $p_y= 1.5395$ $p_z= 0.0000$
 q_{γ} $E= 1.0000$ $p_x= 1.0000$ $p_y= 0.0000$ $p_z= 0.0000$

3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=6, retained=99.5%)

