



gh_Egamma L massless lepton + L proton: max $C_{\ell_0\gamma}$ regions



L massless lepton + L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_e gamma_high_egamma_ll_region_0 $C_{\ell_0\gamma}=2.55774e-11$
 region: high_Egamma_LL_region_0 final-pair delta_xy=3.13158 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0972622$
 $\theta_{in}=1.57079$, $\phi_l=1.76715$, $\phi_P=4.90874$
 $E_\gamma=1.8$, $\phi_\gamma=1.76715$
 $Q^2=16.865$, $x_B=0.846786$, $t=-3.21783$, $W^2=3.93133$, $y=0.965134$
 $\theta(\ell', \gamma)=179.426$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.4340$ $p_y= 2.1817$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.4340$ $p_y= -2.1817$ $p_z= 0.0000$
 ℓ' $E= 1.8955$ $p_x= 0.3512$ $p_y= -1.8627$ $p_z= 0.0000$
 P' $E= 0.9430$ $p_x= 0.0000$ $p_y= 0.0973$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.3512$ $p_y= 1.7654$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 massless lepton L, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
 massless lepton L, proton L

Leading initial-ensemble/final-state components (N=2, retained=99.3%)



L massless lepton + L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_ll_region_1 $C_{\ell_0\gamma}=1.58626e-11$
 region: high_Egamma_LL_region_1 final-pair delta_xy=2.37137 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.25347$
 $\theta_{in}=1.57079$, $\phi_l=3.92699$, $\phi_P=0.785398$
 $E_\gamma=1.8$, $\phi_\gamma=3.92699$
 $Q^2=9.72782$, $x_B=0.524277$, $t=-1.85606$, $W^2=9.70675$, $y=0.899144$
 $\theta(\ell', \gamma)=135.87$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.5729$ $p_y= -1.5729$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.5729$ $p_y= 1.5729$ $p_z= 0.0000$
 ℓ' $E= 1.2729$ $p_x= 1.2728$ $p_y= 0.0193$ $p_z= 0.0000$
 P' $E= 1.5656$ $p_x= 0.0000$ $p_y= 1.2535$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.2728$ $p_y= -1.2728$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$
 massless lepton L, proton L

$h_e=+1, h_p=-1, h_\gamma=+1$
 massless lepton L, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
 massless lepton L, proton L

Leading initial-ensemble/final-state components (N=3, retained=99.2%)



L massless lepton + L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_e gamma_high_egamma_ll_region_2 $C_{\ell_0\gamma}=1.45917\text{e-}11$
 region: high_Egamma_LL_region_2 final-pair delta_xy=2.5801 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |L_P\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.958776$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=5.69414$, $\phi_P=2.55254$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=5.69414$
 $Q^2=12.299$, $x_B=0.645776$, $t=-2.34664$, $W^2=7.62614$, $y=0.922917$
 $\theta(\ell', \gamma)=147.829$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 1.8495$ $p_y= -1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.8495$ $p_y= 1.2358$ $p_z= 0.0000$
 ℓ' $E= 1.4972$ $p_x= -1.4966$ $p_y= 0.0413$ $p_z= 0.0000$
 P' $E= 1.3413$ $p_x= 0.0000$ $p_y= 0.9588$ $p_z= 0.0000$
 q_{γ} $E= 1.8000$ $p_x= 1.4966$ $p_y= -1.0000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=99.2%)



L massless lepton + L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_ll_region_3 $C_{\ell_0\gamma}=9.54546\text{e-}12$
 region: high_Egamma_LL_region_3 final-pair delta_xy=3.06256 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.168789$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=0.490874$, $\phi_p=3.63247$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=0.490874$
 $Q^2=16.7499$, $x_B=0.841937$, $t=-3.19588$, $W^2=4.02444$, $y=0.96407$
 $\theta(\ell', \gamma)=175.472$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

Particle	E	p_x	p_y	p_z
ℓ	2.2244	1.9618	1.0486	-0.0000
P	2.4141	-1.9618	-1.0486	0.0000
ℓ'	1.8855	-1.5875	-1.0173	0.0000
P'	0.9531	0.0000	0.1688	0.0000
q_{γ}	1.8000	1.5875	0.8485	0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=3, retained=99.4%)

