



high_Egamma L massless lepton + L proton: max $C_{p\gamma}$ regions



L massless lepton + L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_ll_region_0 $C_{\{p\gamma\}}=0.876179$
 region: high_Egamma_LL_region_0 final-pair delta_xy=3.04342 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20096$
 $\theta_{in}=1.57079$, $\phi_{\ell}=4.71239$, $\phi_P=1.5708$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=4.81056$
 $Q^2=0.161846$, $x_B=0.00971456$, $t=-8.37948e-05$, $W^2=17.3782$, $y=0.807336$
 $\theta(\ell', \gamma)=28.9268$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E=$	2.2244	$p_x=$	-0.0000	$p_y=$	-2.2244	$p_z=$	-0.0000
P	$E=$	2.4141	$p_x=$	0.0000	$p_y=$	2.2244	$p_z=$	0.0000
ℓ'	$E=$	0.4460	$p_x=$	-0.1764	$p_y=$	-0.4096	$p_z=$	0.0000
P'	$E=$	2.3925	$p_x=$	0.0000	$p_y=$	2.2010	$p_z=$	0.0000
q_{γ}	$E=$	1.8000	$p_x=$	0.1764	$p_y=$	-1.7913	$p_z=$	0.0000


Transverse plane



$h_e=+1, h_p=-1, h_{\gamma}=+1$
 massless lepton L, proton L


$h_e=+1, h_p=+1, h_{\gamma}=-1$
 massless lepton L, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L massless lepton + L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_ll_region_1 C_{p\gamma}=0.157815
 region: high_Egamma_LL_region_1 final-pair delta_xy=2.35619 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_{l_0}\rangle \otimes |L_p\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.25347$
 $\theta_{in}=1.57079$, $\phi_l=5.69414$, $\phi_p=2.55254$
 $E_\gamma=1.8$, $\phi_\gamma=3.92699$
 $Q^2=1.0027$, $x_B=0.102008$, $t=-2.70111$, $W^2=9.70675$, $y=0.476333$
 $\theta(l', \gamma)=135.87$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.8495$ $p_y= -1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.8495$ $p_y= 1.2358$ $p_z= 0.0000$
 l' $E= 1.2729$ $p_x= 1.2728$ $p_y= 0.0193$ $p_z= 0.0000$
 P' $E= 1.5656$ $p_x= 0.0000$ $p_y= 1.2535$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.2728$ $p_y= -1.2728$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=98.4%)



L massless lepton + L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_ll_region_2 C_{p\gamma}=0.157342
 region: high_Egamma_LL_region_2 final-pair delta_xy=2.25802 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.10115$
 $\theta_{in}=1.57079$, $\phi_{\ell}=3.63247$, $\phi_p=0.490874$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=5.59596$
 $Q^2=0.81907$, $x_B=0.0958953$, $t=-2.91502$, $W^2=8.60207$, $y=0.413902$
 $\theta(\ell', \gamma)=142.303$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.2244$	$p_x= -1.9618$	$p_y= -1.0486$	$p_z= -0.0000$
P	$E= 2.4141$	$p_x= 1.9618$	$p_y= 1.0486$	$p_z= 0.0000$
ℓ'	$E= 1.3920$	$p_x= -1.3914$	$p_y= 0.0408$	$p_z= 0.0000$
P'	$E= 1.4465$	$p_x= 0.0000$	$p_y= 1.1011$	$p_z= 0.0000$
q_{γ}	$E= 1.8000$	$p_x= 1.3914$	$p_y= -1.1419$	$p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_{\gamma}=+1$
 massless lepton L, proton L

$h_e=+1, h_p=-1, h_{\gamma}=+1$
 massless lepton L, proton L

Leading initial-ensemble/final-state components (N=2, retained=98.6%)

