



# gamma L massless lepton + L proton: max $C_{\ell_0 p}$ regions



# L massless lepton + L proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c\_ep\_mid\_egamma\_ll\_region\_0  $C_{\ell_0 p}=2.21233\text{e-}11$   
 region: mid\_Egamma\_LL\_region\_0 final-pair delta\_xy=2.67318 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $|L_{\ell_0}\rangle \otimes |L_p\rangle$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.02682$   
 $\theta_{in}=1.57079$ ,  $\phi_l=4.02517$ ,  $\phi_P=0.883573$   
 $E_Y=1$ ,  $\phi_Y=4.02517$   
 $Q^2=3.72996$ ,  $x_B=0.329206$ ,  $t=-2.05314$ ,  $W^2=8.48005$ ,  $y=0.549049$   
 $\theta(\ell', \gamma)=66.2131$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= -1.4112$   $p_y= -1.7195$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 1.4112$   $p_y= 1.7195$   $p_z= 0.0000$   
 $\ell'$   $E= 1.4052$   $p_x= 0.6344$   $p_y= -1.2538$   $p_z= 0.0000$   
 $P'$   $E= 2.2333$   $p_x= 0.0000$   $p_y= 2.0268$   $p_z= 0.0000$   
 $q_Y$   $E= 1.0000$   $p_x= -0.6344$   $p_y= -0.7730$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



# L massless lepton + L proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c\_ep\_mid\_egamma\_ll\_region\_1 C\_{\ell\_0 p}=1.63715e-11  
 region: mid\_Egamma\_LL\_region\_1 final-pair delta\_xy=2.54793 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $|L_{\ell_0}\rangle \otimes |L_p\rangle$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.75164$   
 $\theta_{in}=1.57079$ ,  $\phi_{\ell}=5.89049$ ,  $\phi_p=2.74889$   
 $E_V=1$ ,  $\phi_V=5.89049$   
 $Q^2=8.81411$ ,  $x_B=0.623844$ ,  $t=-4.85168$ ,  $W^2=6.19444$ ,  $y=0.684663$   
 $\theta(\ell', \gamma)=101.515$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= 2.0551$   $p_y= -0.8512$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -2.0551$   $p_y= 0.8512$   $p_z= 0.0000$   
 $\ell'$   $E= 1.6515$   $p_x= -0.9239$   $p_y= -1.3690$   $p_z= 0.0000$   
 $P'$   $E= 1.9870$   $p_x= 0.0000$   $p_y= 1.7516$   $p_z= 0.0000$   
 $q_Y$   $E= 1.0000$   $p_x= 0.9239$   $p_y= -0.3827$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



# L massless lepton + L proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c\_ep\_mid\_egamma\_ll\_region 2 C\_{\ell\_0 p}=1.28995e-11  
 region: mid\_Egamma\_LL\_region\_2 final-pair delta\_xy=2.65606 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $|L_{\ell_0}\rangle \otimes |L_p\rangle$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.36819$   
 $\theta_{in}=1.57079$ ,  $\phi_l=2.74889$ ,  $\phi_P=5.89049$   
 $E_\gamma=1$ ,  $\phi_\gamma=2.74889$   
 $Q^2=15.5854$ ,  $x_B=0.872842$ ,  $t=-8.57889$ ,  $W^2=3.15038$ ,  $y=0.86528$   
 $\theta(\ell', \gamma)=140.319$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= -2.0551$   $p_y= 0.8512$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 2.0551$   $p_y= -0.8512$   $p_z= 0.0000$   
 $\ell'$   $E= 1.9797$   $p_x= 0.9239$   $p_y= -1.7509$   $p_z= 0.0000$   
 $P'$   $E= 1.6588$   $p_x= 0.0000$   $p_y= 1.3682$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= -0.9239$   $p_y= 0.3827$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=99.1%)



# L massless lepton + L proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c\_ep\_mid\_egamma\_ll\_region\_3  $C_{\ell_0 p}=6.36089e-12$   
 region: mid\_Egamma\_LL\_region\_3 final-pair delta\_xy=2.96132 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $|L_{\ell_0}\rangle \otimes |L_p\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.17588$   
 $\theta_{in}=1.57079$ ,  $\phi_\ell=1.1781$ ,  $\phi_p=4.31969$   
 $E_\gamma=1$ ,  $\phi_\gamma=1.1781$   
 $Q^2=18.7773$ ,  $x_B=0.957395$ ,  $t=-10.3358$ ,  $W^2=1.71545$ ,  $y=0.95042$   
 $\theta(\ell', \gamma)=167.829$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= 0.8512$   $p_y= 2.0551$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -0.8512$   $p_y= -2.0551$   $p_z= 0.0000$   
 $\ell'$   $E= 2.1343$   $p_x= -0.3827$   $p_y= -2.0998$   $p_z= 0.0000$   
 $P'$   $E= 1.5042$   $p_x= 0.0000$   $p_y= 1.1759$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= 0.3827$   $p_y= 0.9239$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=2, retained=99.6%)

