



mid\_Egamma L massless lepton + L proton: max  $P_W$  regions



# L massless lepton + L proton characteristic max $P_W$ configuration

3D momenta




w\_purity\_mid\_egamma\_ll\_region\_0 P\_W=0.0215304  
 region: mid\_Egamma\_LL\_region\_0  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $|L_{l_0}\rangle \otimes |L_p\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.69594$   
 $\theta_{in}=1.57079$ ,  $\phi_l=5.39961$ ,  $\phi_P=2.25802$   
 $E_\gamma=1$ ,  $\phi_\gamma=3.43612$   
 $Q^2=0.0302876$ ,  $x_B=0.00619251$ ,  $t=-1.76529$ ,  $W^2=5.74055$ ,  $y=0.237013$   
 $\theta(l', \gamma)=107.371$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 1.4112$   $p_y= -1.7195$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -1.4112$   $p_y= 1.7195$   $p_z= 0.0000$   
 $l'$   $E= 1.7005$   $p_x= 0.9569$   $p_y= -1.4057$   $p_z= 0.0000$   
 $P'$   $E= 1.9381$   $p_x= 0.0000$   $p_y= 1.6959$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= -0.9569$   $p_y= -0.2903$   $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$   
 massless lepton L, proton L

$h_e=+1, h_p=-1, h_\gamma=+1$   
 massless lepton L, proton L

$h_e=+1, h_p=+1, h_\gamma=-1$   
 massless lepton L, proton L


$h_e=+1, h_p=-1, h_\gamma=-1$   
 massless lepton L, proton L

Leading initial-ensemble/final-state components (N=4, retained=100.0%)



# L massless lepton + L proton characteristic max $P_W$ configuration

3D momenta




w\_purity\_mid\_egamma\_ll\_region\_1 P\_W=0.0215304  
 region: mid\_Egamma\_LL\_region\_1  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $|L_{\ell_0}\rangle \otimes |L_p\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.69594$   
 $\theta_{in}=1.57079$ ,  $\phi_{\ell}=4.02517$ ,  $\phi_p=0.883573$   
 $E_{\gamma}=1$ ,  $\phi_{\gamma}=5.98866$   
 $Q^2=0.0302876$ ,  $x_B=0.00619251$ ,  $t=-1.76529$ ,  $W^2=5.74055$ ,  $y=0.237013$   
 $\theta(\ell', \gamma)=107.371$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= -1.4112$   $p_y= -1.7195$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 1.4112$   $p_y= 1.7195$   $p_z= 0.0000$   
 $\ell'$   $E= 1.7005$   $p_x= -0.9569$   $p_y= -1.4057$   $p_z= 0.0000$   
 $P'$   $E= 1.9381$   $p_x= 0.0000$   $p_y= 1.6959$   $p_z= 0.0000$   
 $q_{\gamma}$   $E= 1.0000$   $p_x= 0.9569$   $p_y= -0.2903$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=100.0%)

