



Egamma L massless lepton + Tx proton: max $C_{\ell_0\gamma}$ regions



L massless lepton + Tx proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_ltx_region_0 $C_{\ell_0\gamma}=2.3303e-10$
 region: low_Egamma_LTx_region_0 final-pair delta_xy=0.766422 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.1916$
 $\theta_{in}=1.57079$, $\phi_l=4.02517$, $\phi_p=0.883573$
 $E_\gamma=0.25$, $\phi_\gamma=4.02517$
 $Q^2=2.49357$, $x_B=0.550144$, $t=-2.21332$, $W^2=2.91885$, $y=0.219644$
 $\theta(\ell', \gamma)=43.9128$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

Particle	E	p_x	p_y	p_z
ℓ	2.2244	-1.4112	-1.7195	-0.0000
P	2.4141	1.4112	1.7195	0.0000
ℓ'	2.0046	0.1586	-1.9983	0.0000
P'	2.3839	0.0000	2.1916	0.0000
q_γ	0.2500	-0.1586	-0.1933	0.0000

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L massless lepton + Tx proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_e gamma_low egamma ltx_region_1 $C_{\ell_0\gamma}=1.526e-10$
 region: low_Egamma_LTx_region_1 final-pair delta_xy=1.29075 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.13719$
 $\theta_{in}=1.57079$, $\phi_l=5.89049$, $\phi_p=2.74889$
 $E_\gamma=0.25$, $\phi_\gamma=5.89049$
 $Q^2=6.61398$, $x_B=0.807578$, $t=-5.87064$, $W^2=2.45576$, $y=0.396874$
 $\theta(\ell', \gamma)=73.9548$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.2244$	$p_x= 2.0551$	$p_y= -0.8512$	$p_z= -0.0000$
P	$E= 2.4141$	$p_x= -2.0551$	$p_y= 0.8512$	$p_z= 0.0000$
ℓ'	$E= 2.0545$	$p_x= -0.2310$	$p_y= -2.0415$	$p_z= 0.0000$
P'	$E= 2.3340$	$p_x= 0.0000$	$p_y= 2.1372$	$p_z= 0.0000$
q_γ	$E= 0.2500$	$p_x= 0.2310$	$p_y= -0.0957$	$p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L massless lepton + Tx proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_ltx_region_2 $C_{\ell_0\gamma}=6.7675\text{e-}11$
 region: low_Egamma_LTx_region_2 final-pair delta_xy=2.7923 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.97187$
 $\theta_{in}=1.57079$, $\phi_\ell=1.9635$, $\phi_P=5.10509$
 $E_\gamma=0.25$, $\phi_\gamma=1.9635$
 $Q^2=19.0263$, $x_B=0.990581$, $t=-16.8879$, $W^2=1.06076$, $y=0.930761$
 $\theta(\ell', \gamma)=159.987$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.2244$	$p_x= -0.8512$	$p_y= 2.0551$	$p_z= -0.0000$
P	$E= 2.4141$	$p_x= 0.8512$	$p_y= -2.0551$	$p_z= 0.0000$
ℓ'	$E= 2.2049$	$p_x= 0.0957$	$p_y= -2.2028$	$p_z= 0.0000$
P'	$E= 2.1836$	$p_x= 0.0000$	$p_y= 1.9719$	$p_z= 0.0000$
q_γ	$E= 0.2500$	$p_x= -0.0957$	$p_y= 0.2310$	$p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=99.3%)



L massless lepton + Tx proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_ltx_region_3 $C_{\ell_0\gamma}=6.73588e-11$
 region: low_Egamma_LTx_region_3 final-pair delta_xy=2.43731 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.99765$
 $\theta_{in}=1.57079$, $\phi_l=0.785398$, $\phi_p=3.92699$
 $E_\gamma=0.25$, $\phi_\gamma=0.785398$
 $Q^2=17.102$, $x_B=0.977303$, $t=-15.18$, $W^2=1.27702$, $y=0.847994$
 $\theta(l', \gamma)=139.648$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

Particle	E	p_x	p_y	p_z
ℓ	2.2244	1.5729	1.5729	-0.0000
P	2.4141	-1.5729	-1.5729	0.0000
ℓ'	2.1816	-0.1768	-2.1744	0.0000
P'	2.2069	0.0000	1.9977	0.0000
q_γ	0.2500	0.1768	0.1768	0.0000

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 massless lepton L, proton Tx

$h_e=+1, h_p=+1, h_\gamma=-1$
 massless lepton L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.4%)

