



gamma L massless lepton + Tx proton: max $C_{\ell_0 p}$ regions



L massless lepton + Tx proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_ep_low_egamma_ltx_region_0 C_{\ell_0 p}=1.9049e-10
 region: low_Egamma_LTx_region_0 final-pair delta_xy=3.11953 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.9652$
 $\theta_{in}=1.57079$, $\phi_{\ell}=1.76715$, $\phi_P=4.90874$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=1.76715$
 $Q^2=19.5232$, $x_B=0.993635$, $t=-17.329$, $W^2=1.00491$, $y=0.952134$
 $\theta(\ell', \gamma)=170.014$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E=$	2.2244	$p_x=$	-0.4340	$p_y=$	2.1817	$p_z=$	-0.0000
P	$E=$	2.4141	$p_x=$	0.4340	$p_y=$	-2.1817	$p_z=$	0.0000
ℓ'	$E=$	2.2109	$p_x=$	0.0488	$p_y=$	-2.2104	$p_z=$	0.0000
P'	$E=$	2.1776	$p_x=$	0.0000	$p_y=$	1.9652	$p_z=$	0.0000
q_{γ}	$E=$	0.2500	$p_x=$	-0.0488	$p_y=$	0.2452	$p_z=$	0.0000


Transverse plane



$h_e=+1, h_p=+1, h_{\gamma}=+1$
 massless lepton L, proton Tx


$h_e=+1, h_p=+1, h_{\gamma}=-1$
 massless lepton L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.9%)



L massless lepton + Tx proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_ep_low_egamma_ltx_region_1 $C_{\ell_0 p}=1.51146\text{e-}10$
 region: low_Egamma_LTx_region_1 final-pair delta_xy=3.03373 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.03741$
 $\theta_{in}=1.57079$, $\phi_{\ell}=2.74889$, $\phi_P=5.89049$
 $E_V=0.25$, $\phi_V=2.74889$
 $Q^2=14.1261$, $x_B=0.950757$, $t=-12.5385$, $W^2=1.61148$, $y=0.719991$
 $\theta(\ell', \gamma)=118.68$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.2244$	$p_x= -2.0551$	$p_y= 0.8512$	$p_z= -0.0000$
P	$E= 2.4141$	$p_x= 2.0551$	$p_y= -0.8512$	$p_z= 0.0000$
ℓ'	$E= 2.1456$	$p_x= 0.2310$	$p_y= -2.1331$	$p_z= 0.0000$
P'	$E= 2.2430$	$p_x= 0.0000$	$p_y= 2.0374$	$p_z= 0.0000$
q_γ	$E= 0.2500$	$p_x= -0.2310$	$p_y= 0.0957$	$p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L massless lepton + Tx proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_ep_low_egamma_ltx_region_2 $C_{\ell_0 p}=1.01222e-10$
 region: low_Egamma_LTx_region_2 final-pair delta_xy=3.0259 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |T_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.06107$
 $\theta_{in}=1.57079$, $\phi_l=0.19635$, $\phi_p=3.33794$
 $E_\gamma=0.25$, $\phi_\gamma=0.19635$
 $Q^2=12.3506$, $x_B=0.92989$, $t=-10.9625$, $W^2=1.81103$, $y=0.643621$
 $\theta(\ell', \gamma)=107.879$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 2.1817$ $p_y= 0.4340$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.1817$ $p_y= -0.4340$ $p_z= 0.0000$
 ℓ' $E= 2.1240$ $p_x= -0.2452$ $p_y= -2.1098$ $p_z= 0.0000$
 P' $E= 2.2645$ $p_x= 0.0000$ $p_y= 2.0611$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2452$ $p_y= 0.0488$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L massless lepton + Tx proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_ep_low_egamma_ltx_region_3 $C_{\ell_0 p}=4.79946e-11$
 region: low_Egamma_LTx_region_3 final-pair delta_xy=3.06239 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.1916$
 $\theta_{in}=1.57079$, $\phi_{\ell}=4.02517$, $\phi_p=0.883573$
 $E_Y=0.25$, $\phi_Y=4.02517$
 $Q^2=2.49357$, $x_B=0.550144$, $t=-2.21332$, $W^2=2.91885$, $y=0.219644$
 $\theta(\ell', \gamma)=43.9128$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.2244$	$p_x= -1.4112$	$p_y= -1.7195$	$p_z= -0.0000$
P	$E= 2.4141$	$p_x= 1.4112$	$p_y= 1.7195$	$p_z= 0.0000$
ℓ'	$E= 2.0046$	$p_x= 0.1586$	$p_y= -1.9983$	$p_z= 0.0000$
P'	$E= 2.3839$	$p_x= 0.0000$	$p_y= 2.1916$	$p_z= 0.0000$
q_Y	$E= 0.2500$	$p_x= -0.1586$	$p_y= -0.1933$	$p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=100.0%)

