



low_Egamma Tx massless lepton: max P_W regions



Tx massless lepton characteristic max P_W configuration

3D momenta




w_purity_low_egamma_tx_electron_region_0 P_W=0.19284
 region: low_Egamma_Tx_electron_region_0
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\ell_0},h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22371$
 $\theta_{in}=1.57079$, $\phi_l=4.61421$, $\phi_p=1.47262$
 $E_\gamma=0.25$, $\phi_\gamma=4.61421$
 $Q^2=0.053669$, $x_B=0.0226749$, $t=-0.0476372$, $W^2=3.19307$, $y=0.114697$
 $\theta(l',\gamma)=6.33588$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.2180$ $p_y= -2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.2180$ $p_y= 2.2137$ $p_z= 0.0000$
 ℓ' $E= 1.9751$ $p_x= 0.0245$ $p_y= -1.9749$ $p_z= 0.0000$
 P' $E= 2.4134$ $p_x= 0.0000$ $p_y= 2.2237$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0245$ $p_y= -0.2488$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=96.4%)




Tx massless lepton characteristic max P_W configuration

w_purity_low_egamma_tx_electron_region_1 P_W=0.166667
 region: low_Egamma Tx_electron_region_1
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\ell_0},h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.96296$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=1.5708$
 $Q^2=8.66557e-12$, $x_B=8.15204e-11$, $t=-0.0114583$, $W^2=0.986143$, $y=0.00515116$
 $\theta(\ell',\gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.2130$ $p_x= -0.0000$ $p_y= -2.2130$ $p_z= 0.0000$
 P' $E= 2.1756$ $p_x= 0.0000$ $p_y= 1.9630$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0000$ $p_y= 0.2500$ $p_z= 0.0000$


3D momenta



Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx massless lepton characteristic max P_W configuration

3D momenta




w_purity_low_egamma_tx_electron_region_2 P_W=0.164394
 region: low_Egamma_Tx_electron_region_2
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\ell_0},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.06107$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=0.19635$
 $Q^2=0.0631736$, $x_B=0.0635316$, $t=-0.00429535$, $W^2=1.81103$, $y=0.0481859$
 $\theta(\ell',\gamma)=107.879$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.1240$ $p_x= -0.2452$ $p_y= -2.1098$ $p_z= 0.0000$
 P' $E= 2.2645$ $p_x= 0.0000$ $p_y= 2.0611$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2452$ $p_y= 0.0488$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=-1, h_\gamma=+1$
 massless lepton Tx, proton $h=+1$

$h_e=-1, h_p=+1, h_\gamma=-1$
 massless lepton Tx, proton $h=-1$

$h_e=-1, h_p=-1, h_\gamma=+1$
 massless lepton Tx, proton $h=+1$


$h_e=+1, h_p=+1, h_\gamma=-1$
 massless lepton Tx, proton $h=-1$

Leading initial-ensemble/final-state components (N=4, retained=98.6%)



Tx massless lepton characteristic max P_W configuration

3D momenta




w_purity_low_egamma_tx_electron_region_3 P_W=0.164112
 region: low_Egamma_Tx_electron_region_3
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\ell_0},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.06107$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=2.94524$
 $Q^2=0.0631736$, $x_B=0.0635316$, $t=-0.00429535$, $W^2=1.81103$, $y=0.0481859$
 $\theta(\ell',\gamma)=107.879$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.1240$ $p_x= 0.2452$ $p_y= -2.1098$ $p_z= 0.0000$
 P' $E= 2.2645$ $p_x= 0.0000$ $p_y= 2.0611$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2452$ $p_y= 0.0488$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=+1, h_\gamma=-1$
 massless lepton Tx, proton $h=-1$

$h_e=+1, h_p=-1, h_\gamma=+1$
 massless lepton Tx, proton $h=+1$

$h_e=+1, h_p=+1, h_\gamma=-1$
 massless lepton Tx, proton $h=-1$

$h_e=-1, h_p=-1, h_\gamma=+1$
 massless lepton Tx, proton $h=+1$

Leading initial-ensemble/final-state components (N=4, retained=98.6%)

