


low_Egamma Tx proton: max $C_{\ell_0\gamma}$ regions




Tx proton characteristic max $C_{\ell_0\gamma}$ configuration

c_e_gamma_low_egamma_tx_proton_region_0 $C_{\{\ell_0\gamma\}}=2.29392e-11$
 region: low_Egamma_Tx_proton_region_0 final-pair delta_xy=0.331181 rad
 outgoing-state purity: 0.500208
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0},T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21812$
 $\theta_{in}=1.57079$, $\phi_{\ell}=5.00691$, $\phi_P=1.86532$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=5.00691$
 $Q^2=0.478725$, $x_B=0.174451$, $t=-0.424921$, $W^2=3.1453$, $y=0.13298$
 $\theta(\ell',\gamma)=18.9753$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.6457$ $p_y= -2.1286$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.6457$ $p_y= 2.1286$ $p_z= 0.0000$
 ℓ' $E= 1.9802$ $p_x= -0.0726$ $p_y= -1.9789$ $p_z= 0.0000$
 P' $E= 2.4083$ $p_x= 0.0000$ $p_y= 2.2181$ $p_z= 0.0000$
 q_{γ} $E= 0.2500$ $p_x= 0.0726$ $p_y= -0.2392$ $p_z= 0.0000$


3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)




Tx proton characteristic max $C_{\ell_0\gamma}$ configuration

c_e_gamma_low_egamma_tx_proton_region_1 $C_{\{\ell_0\gamma\}}=2.25659\text{e-}11$
 region: low_Egamma_Tx_proton_region_1 final-pair delta_xy=1.08419 rad
 outgoing-state purity: 0.503629
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.16098$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=3.73064$, $\phi_p=0.589049$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=3.73064$
 $Q^2=4.81438$, $x_B=0.730275$, $t=-4.2733$, $W^2=2.65802$, $y=0.319469$
 $\theta(\ell', \gamma)=62.1193$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.8495$ $p_y= -1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.8495$ $p_y= 1.2358$ $p_z= 0.0000$
 ℓ' $E= 2.0327$ $p_x= 0.2079$ $p_y= -2.0221$ $p_z= 0.0000$
 P' $E= 2.3558$ $p_x= 0.0000$ $p_y= 2.1610$ $p_z= 0.0000$
 q_{γ} $E= 0.2500$ $p_x= -0.2079$ $p_y= -0.1389$ $p_z= 0.0000$


3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)




Tx proton characteristic max $C_{\ell_0\gamma}$ configuration

c_e_gamma_low_egamma_tx_proton_region_2 $C_{\{\ell_0\gamma\}}=1.8187\text{e-}11$
region: low_Egamma_Tx_proton_region_2 final-pair delta_xy=2.7043 rad
outgoing-state purity: 0.504622
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{X,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.97681$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=1.07992$, $\phi_p=4.22152$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=1.07992$
 $Q^2=18.6577$, $x_B=0.988224$, $t=-16.5608$, $W^2=1.10218$, $y=0.914909$
 $\theta(\ell', \gamma)=154.945$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 1.0486$ $p_y= 1.9618$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.0486$ $p_y= -1.9618$ $p_z= 0.0000$
 ℓ' $E= 2.2005$ $p_x= -0.1178$ $p_y= -2.1973$ $p_z= 0.0000$
 P' $E= 2.1881$ $p_x= 0.0000$ $p_y= 1.9768$ $p_z= 0.0000$
 q_{γ} $E= 0.2500$ $p_x= 0.1178$ $p_y= 0.2205$ $p_z= 0.0000$


3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=99.4%)




Tx proton characteristic max $C_{\ell_0\gamma}$ configuration

c_e_gamma_low_egamma_tx_proton_region_3 $C_{\{\ell_0\gamma\}}=1.47798\text{e-}11$
region: low_Egamma_Tx_proton_region_3 final-pair delta_xy=2.52689 rad
outgoing-state purity: 0.506687
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{X,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.98975$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=2.25802$, $\phi_p=5.39961$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=2.25802$
 $Q^2=17.6924$, $x_B=0.981644$, $t=-15.7039$, $W^2=1.21068$, $y=0.873386$
 $\theta(\ell', \gamma)=144.78$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.4112$ $p_y= 1.7195$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.4112$ $p_y= -1.7195$ $p_z= 0.0000$
 ℓ' $E= 2.1888$ $p_x= 0.1586$ $p_y= -2.1830$ $p_z= 0.0000$
 P' $E= 2.1998$ $p_x= 0.0000$ $p_y= 1.9898$ $p_z= 0.0000$
 q_{γ} $E= 0.2500$ $p_x= -0.1586$ $p_y= 0.1933$ $p_z= 0.0000$

3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=98.4%)

