


low\_Egamma Tx proton: max  $C_{l_{0p}}$  regions




# Tx proton characteristic max $C_{\ell_0 p}$ configuration

c\_ep\_low\_egamma\_tx\_proton\_region\_0  $C_{\ell_0 p}=2.74751e-11$   
region: low\_Egamma\_Tx\_proton\_region\_0 final-pair delta\_xy=3.0259 rad  
outgoing-state purity: 0.501046  
kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
incoming state:  $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{X,p})$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.06107$   
 $\theta_{in}=1.57079$ ,  $\phi_{\ell}=0.19635$ ,  $\phi_p=3.33794$   
 $E_V=0.25$ ,  $\phi_V=0.19635$   
 $Q^2=12.3506$ ,  $x_B=0.92989$ ,  $t=-10.9625$ ,  $W^2=1.81103$ ,  $y=0.643621$   
 $\theta(\ell', \gamma)=107.879$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= 2.1817$   $p_y= 0.4340$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -2.1817$   $p_y= -0.4340$   $p_z= 0.0000$   
 $\ell'$   $E= 2.1240$   $p_x= -0.2452$   $p_y= -2.1098$   $p_z= 0.0000$   
 $P'$   $E= 2.2645$   $p_x= 0.0000$   $p_y= 2.0611$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= 0.2452$   $p_y= 0.0488$   $p_z= 0.0000$


3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)




# Tx proton characteristic max $C_{\ell_0 p}$ configuration

c\_ep\_low\_egamma\_tx\_proton\_region\_1  $C_{\ell_0 p}=2.11015e-11$   
region: low\_Egamma\_Tx\_proton\_region\_1 final-pair delta\_xy=3.10873 rad  
outgoing-state purity: 0.501997  
kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
incoming state:  $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{X,p})$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.96799$   
 $\theta_{in}=1.57079$ ,  $\phi_{\ell}=1.27627$ ,  $\phi_p=4.41786$   
 $E_{\gamma}=0.25$ ,  $\phi_{\gamma}=1.27627$   
 $Q^2=19.3154$ ,  $x_B=0.992374$ ,  $t=-17.1445$ ,  $W^2=1.02827$ ,  $y=0.943196$   
 $\theta(\ell', \gamma)=165.008$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= 0.6457$   $p_y= 2.1286$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -0.6457$   $p_y= -2.1286$   $p_z= 0.0000$   
 $\ell'$   $E= 2.2084$   $p_x= -0.0726$   $p_y= -2.2072$   $p_z= 0.0000$   
 $P'$   $E= 2.1801$   $p_x= 0.0000$   $p_y= 1.9680$   $p_z= 0.0000$   
 $q_{\gamma}$   $E= 0.2500$   $p_x= 0.0726$   $p_y= 0.2392$   $p_z= 0.0000$


3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=99.8%)




# Tx proton characteristic max $C_{\ell_0 p}$ configuration

c\_ep\_low\_egamma\_tx\_proton\_region\_2  $C_{\ell_0 p}=5.99276e-12$   
region: low\_Egamma\_Tx\_proton\_region\_2 final-pair delta\_xy=3.05257 rad  
outgoing-state purity: 0.506922  
kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
incoming state:  $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{X,p})$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.00644$   
 $\theta_{in}=1.57079$ ,  $\phi_{\ell}=2.45437$ ,  $\phi_p=5.59596$   
 $E_{\gamma}=0.25$ ,  $\phi_{\gamma}=2.45437$   
 $Q^2=16.4452$ ,  $x_B=0.972157$ ,  $t=-14.5969$ ,  $W^2=1.35084$ ,  $y=0.819743$   
 $\theta(\ell', \gamma)=134.476$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= -1.7195$   $p_y= 1.4112$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 1.7195$   $p_y= -1.4112$   $p_z= 0.0000$   
 $\ell'$   $E= 2.1736$   $p_x= 0.1933$   $p_y= -2.1650$   $p_z= 0.0000$   
 $P'$   $E= 2.2149$   $p_x= 0.0000$   $p_y= 2.0064$   $p_z= 0.0000$   
 $q_{\gamma}$   $E= 0.2500$   $p_x= -0.1933$   $p_y= 0.1586$   $p_z= 0.0000$


3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=96.7%)




# Tx proton characteristic max $C_{\ell_0 p}$ configuration

c\_ep\_low\_egamma\_tx\_proton\_region\_3  $C_{\ell_0 p}=4.21072e-12$   
region: low\_Egamma\_Tx\_proton\_region\_3 final-pair delta\_xy=3.03348 rad  
outgoing-state purity: 0.503265  
kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
incoming state:  $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{x,p})$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.14934$   
 $\theta_{in}=1.57079$ ,  $\phi_{\ell}=3.63247$ ,  $\phi_p=0.490874$   
 $E_{\gamma}=0.25$ ,  $\phi_{\gamma}=3.63247$   
 $Q^2=5.69552$ ,  $x_B=0.772309$ ,  $t=-5.05541$ ,  $W^2=2.55899$ ,  $y=0.357369$   
 $\theta(\ell', \gamma)=68.0691$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= -1.9618$   $p_y= -1.0486$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 1.9618$   $p_y= 1.0486$   $p_z= 0.0000$   
 $\ell'$   $E= 2.0434$   $p_x= 0.2205$   $p_y= -2.0315$   $p_z= 0.0000$   
 $P'$   $E= 2.3451$   $p_x= 0.0000$   $p_y= 2.1493$   $p_z= 0.0000$   
 $q_{\gamma}$   $E= 0.2500$   $p_x= -0.2205$   $p_y= -0.1178$   $p_z= 0.0000$

3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)

