



Egamma Tx massless lepton + Tx proton: max C{l_0p} regions



Tx massless lepton + Tx proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_ep_high_egamma_txtx_region_0 C_{\ell_0 p}=0.368868
 region: high_Egamma_TxTx_region_0 final-pair delta_xy=1.65883 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.506978$
 $\theta_{in}=1.57079$, $\phi_{\ell}=3.14159$, $\phi_P=0$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=3.33794$
 $Q^2=15.7386$, $x_B=0.78957$, $t=-3.38834$, $W^2=5.07438$, $y=0.96594$
 $\theta(\ell', \gamma)=163.706$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 ℓ' $E= 1.7723$ $p_x= 1.7654$ $p_y= -0.1558$ $p_z= 0.0000$
 P' $E= 1.0662$ $p_x= 0.0000$ $p_y= 0.5070$ $p_z= 0.0000$
 q_{γ} $E= 1.8000$ $p_x= -1.7654$ $p_y= -0.3512$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



Tx massless lepton + Tx proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_ep_high_egamma_txtx_region_1 C_{\ell_0 p}=0.368868
 region: high_Egamma_TxTx_region_1 final-pair delta_xy=1.65883 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.506978$
 $\theta_{in}=1.57079$, $\phi_{\ell}=0$, $\phi_P=3.14159$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=6.08684$
 $Q^2=15.7386$, $x_B=0.78957$, $t=-3.38834$, $W^2=5.07438$, $y=0.96594$
 $\theta(\ell', \gamma)=163.706$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 ℓ' $E= 1.7723$ $p_x= -1.7654$ $p_y= -0.1558$ $p_z= 0.0000$
 P' $E= 1.0662$ $p_x= 0.0000$ $p_y= 0.5070$ $p_z= 0.0000$
 q_{γ} $E= 1.8000$ $p_x= 1.7654$ $p_y= -0.3512$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



Tx massless lepton + Tx proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_ep_high_egamma_txtx_region_2 $C_{\ell_0 p}=0.368195$
 region: high_Egamma_TxTx_region_2 final-pair delta_xy=3.14159 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0956529$
 $\theta_{in}=1.57079$, $\phi_{\ell}=1.5708$, $\phi_p=4.71239$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=1.5708$
 $Q^2=16.8669$, $x_B=0.846865$, $t=-3.21819$, $W^2=3.92981$, $y=0.965151$
 $\theta(\ell', \gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.8957$ $p_x= -0.0000$ $p_y= -1.8957$ $p_z= 0.0000$
 P' $E= 0.9429$ $p_x= 0.0000$ $p_y= 0.0957$ $p_z= 0.0000$
 q_{γ} $E= 1.8000$ $p_x= 0.0000$ $p_y= 1.8000$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_{\gamma}=-1$
 massless lepton Tx, proton Tx


$h_e=+1, h_p=+1, h_{\gamma}=+1$
 massless lepton Tx, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=96.5%)



Tx massless lepton + Tx proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_ep_high_egamma_txtx_region_3 $C_{\ell_0 p}=0.367812$
 region: high_Egamma_TxTx_region_3 final-pair delta_xy=2.7349 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20096$
 $\theta_{in}=1.57079$, $\phi_{\ell}=1.76715$, $\phi_P=4.90874$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=4.61421$
 $Q^2=3.92473$, $x_B=0.192171$, $t=-19.3954$, $W^2=17.3782$, $y=0.989681$
 $\theta(\ell', \gamma)=28.9268$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.4340$ $p_y= 2.1817$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.4340$ $p_y= -2.1817$ $p_z= 0.0000$
 ℓ' $E= 0.4460$ $p_x= 0.1764$ $p_y= -0.4096$ $p_z= 0.0000$
 P' $E= 2.3925$ $p_x= 0.0000$ $p_y= 2.2010$ $p_z= 0.0000$
 q_{γ} $E= 1.8000$ $p_x= -0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=-1, h_{\gamma}=-1$
 massless lepton Tx, proton Tx

$h_e=+1, h_p=+1, h_{\gamma}=+1$
 massless lepton Tx, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=96.4%)

