



gamma Tx massless lepton + Ty proton: max C_{l_0p} regions



Tx massless lepton + Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_ep_high_egamma_txtty_region_0 C_{\ell_0 p}=0.368195
 region: high_Egamma_TxTy_region_0 final-pair delta_xy=3.14159 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0956529$
 $\theta_{in}=1.57079$, $\phi_\ell=1.5708$, $\phi_p=4.71239$
 $E_\gamma=1.8$, $\phi_\gamma=1.5708$
 $Q^2=16.8669$, $x_B=0.846865$, $t=-3.21819$, $W^2=3.92981$, $y=0.965151$
 $\theta(\ell', \gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.8957$ $p_x= -0.0000$ $p_y= -1.8957$ $p_z= 0.0000$
 P' $E= 0.9429$ $p_x= 0.0000$ $p_y= 0.0957$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.0000$ $p_y= 1.8000$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=-1$
 massless lepton Tx, proton Ty


$h_e=+1, h_p=+1, h_\gamma=+1$
 massless lepton Tx, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=96.5%)



Tx massless lepton + Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_ep_high_egamma_txtty_region_1 C_{\ell_0 p}=0.368161
 region: high_EgammaTxTy_region_1 final-pair delta_xy=2.7349 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20096$
 $\theta_{in}=1.57079$, $\phi_l=1.86532$, $\phi_p=5.00691$
 $E_\gamma=1.8$, $\phi_\gamma=4.61421$
 $Q^2=3.95599$, $x_B=0.193406$, $t=-19.1619$, $W^2=17.3782$, $y=0.991196$
 $\theta(\ell', \gamma)=28.9268$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.6457$ $p_y= 2.1286$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.6457$ $p_y= -2.1286$ $p_z= 0.0000$
 ℓ' $E= 0.4460$ $p_x= 0.1764$ $p_y= -0.4096$ $p_z= 0.0000$
 P' $E= 2.3925$ $p_x= 0.0000$ $p_y= 2.2010$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.1764$ $p_y= -1.7913$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=-1$
 massless lepton Tx, proton Ty


$h_e=+1, h_p=+1, h_\gamma=+1$
 massless lepton Tx, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=96.3%)



Tx massless lepton + Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_ep_high_egamma_txtty_region_2 C_{\ell_0 p}=0.368112
 region: high_Egamma_TxTy_region_2 final-pair delta_xy=2.22659 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.151482$
 $\theta_{in}=1.57079$, $\phi_\ell=0.589049$, $\phi_P=3.73064$
 $E_Y=1.8$, $\phi_Y=0.589049$
 $Q^2=16.7833$, $x_B=0.843345$, $t=-3.20225$, $W^2=3.99742$, $y=0.964378$
 $\theta(\ell', \gamma)=176.176$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 1.8495$ $p_y= 1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.8495$ $p_y= -1.2358$ $p_z= 0.0000$
 ℓ' $E= 1.8884$ $p_x= -1.4966$ $p_y= -1.1515$ $p_z= 0.0000$
 P' $E= 0.9502$ $p_x= 0.0000$ $p_y= 0.1515$ $p_z= 0.0000$
 q_Y $E= 1.8000$ $p_x= 1.4966$ $p_y= 1.0000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



Tx massless lepton + Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_ep_high_egamma_txtty_region_3 C_{\ell_0 p}=0.368112
 region: high_Egamma_TxTy_region_3 final-pair delta_xy=2.22659 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.151482$
 $\theta_{in}=1.57079$, $\phi_l=2.55254$, $\phi_p=5.69414$
 $E_\gamma=1.8$, $\phi_\gamma=2.55254$
 $Q^2=16.7833$, $x_B=0.843345$, $t=-3.20225$, $W^2=3.99742$, $y=0.964378$
 $\theta(\ell', \gamma)=176.176$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.8495$ $p_y= 1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.8495$ $p_y= -1.2358$ $p_z= 0.0000$
 ℓ' $E= 1.8884$ $p_x= 1.4966$ $p_y= -1.1515$ $p_z= 0.0000$
 P' $E= 0.9502$ $p_x= 0.0000$ $p_y= 0.1515$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.4966$ $p_y= 1.0000$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=96.5%)

