



mid\_Egamma Tx massless lepton + Ty proton: max  $P_W$  regions



# Tx massless lepton + Ty proton characteristic max $P_W$ configuration

3D momenta




w\_purity\_mid\_egamma\_txtty\_region\_0 P\_W=0.201656  
 region: mid\_Egamma\_TxTy\_region\_0  
 outgoing-state purity: 1  
 kinematic point: high\_s high\_theta\_in\_mid\_Egamma  
 incoming state:  $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{p}|=2.22442$ ,  $|\vec{p}'|=1.30122$   
 $\theta_{in}=1.57079$ ,  $\phi_{\ell}=4.61421$ ,  $\phi_p=1.47262$   
 $E_{\gamma}=1$ ,  $\phi_{\gamma}=2.55254$   
 $Q^2=1.19276$ ,  $x_B=0.403634$ ,  $t=-0.22401$ ,  $W^2=2.64213$ ,  $y=0.143198$   
 $\theta(\ell', \gamma)=147.873$  deg


four-momenta  $[E, p_x, p_y, p_z]$  GeV:

$\ell$   $E= 2.2244$   $p_x= -0.2180$   $p_y= -2.2137$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.2180$   $p_y= 2.2137$   $p_z= 0.0000$   
 $\ell'$   $E= 2.0345$   $p_x= 0.8315$   $p_y= -1.8568$   $p_z= 0.0000$   
 $P'$   $E= 1.6041$   $p_x= 0.0000$   $p_y= 1.3012$   $p_z= 0.0000$   
 $q_{\gamma}$   $E= 1.0000$   $p_x= -0.8315$   $p_y= 0.5556$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



# Tx massless lepton + Ty proton characteristic max $P_W$ configuration

3D momenta




w\_purity\_mid\_egamma\_txtty\_region\_1 P\_W=0.180435  
 region: mid\_Egamma\_TxTy\_region\_1  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $|T_{x,\ell_0}\rangle \otimes |T_{y,p}\rangle$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.8082$   
 $\theta_{in}=1.57079$ ,  $\phi_\ell=4.71239$ ,  $\phi_P=1.5708$   
 $E_\gamma=1$ ,  $\phi_\gamma=5.79231$   
 $Q^2=1.17763$ ,  $x_B=0.169287$ ,  $t=-0.0310449$ ,  $W^2=6.65862$ ,  $y=0.337101$   
 $\theta(\ell', \gamma)=95.2889$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= -0.0000$   $p_y= -2.2244$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.0000$   $p_y= 2.2244$   $p_z= 0.0000$   
 $\ell'$   $E= 1.6015$   $p_x= -0.8819$   $p_y= -1.3368$   $p_z= 0.0000$   
 $P'$   $E= 2.0370$   $p_x= 0.0000$   $p_y= 1.8082$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= 0.8819$   $p_y= -0.4714$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=98.1%)



# Tx massless lepton + Ty proton characteristic max $P_W$ configuration

3D momenta




w\_purity\_mid\_egamma\_txtty\_region\_2 P\_W=0.180236  
 region: mid\_Egamma\_TxTy\_region\_2  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $|T_{x,\ell_0}\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.17588$   
 $\theta_{in}=1.57079$ ,  $\phi_\ell=4.61421$ ,  $\phi_P=1.47262$   
 $E_\gamma=1$ ,  $\phi_\gamma=1.1781$   
 $Q^2=0.0319817$ ,  $x_B=0.0368628$ ,  $t=-0.296656$ ,  $W^2=1.71545$ ,  $y=0.0420424$   
 $\theta(\ell', \gamma)=167.829$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= -0.2180$   $p_y= -2.2137$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.2180$   $p_y= 2.2137$   $p_z= 0.0000$   
 $\ell'$   $E= 2.1343$   $p_x= -0.3827$   $p_y= -2.0998$   $p_z= 0.0000$   
 $P'$   $E= 1.5042$   $p_x= 0.0000$   $p_y= 1.1759$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= 0.3827$   $p_y= 0.9239$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)

