


high_Egamma Ty proton: max $C_{\ell_0\gamma}$ regions




Ty proton characteristic max $C_{\ell_0\gamma}$ configuration

c_e_gamma_high_egamma_ty_proton_region_0 $C_{\ell_0\gamma}=8.70926\text{e-}12$
region: high_Egamma_Ty_proton_region_0 final-pair delta_xy=2.5801 rad
outgoing-state purity: 0.510346
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{y,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.958776$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=5.69414$, $\phi_p=2.55254$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=5.69414$
 $Q^2=12.299$, $x_B=0.645776$, $t=-2.34664$, $W^2=7.62614$, $y=0.922917$
 $\theta(\ell', \gamma)=147.829$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 1.8495$ $p_y= -1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.8495$ $p_y= 1.2358$ $p_z= 0.0000$
 ℓ' $E= 1.4972$ $p_x= -1.4966$ $p_y= 0.0413$ $p_z= 0.0000$
 P' $E= 1.3413$ $p_x= 0.0000$ $p_y= 0.9588$ $p_z= 0.0000$
 q_{γ} $E= 1.8000$ $p_x= 1.4966$ $p_y= -1.0000$ $p_z= 0.0000$


3D momenta



Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



Ty proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_ty_proton_region_1 $C_{\ell_0\gamma}=3.89744\text{e-}12$
 region: high_Egamma_Ty_proton_region_1 final-pair delta_xy=2.48366 rad
 outgoing-state purity: 0.510427
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0}, T_{y,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.10115$
 $\theta_{in}=1.57079$, $\phi_l=3.82882$, $\phi_P=0.687223$
 $E_\gamma=1.8$, $\phi_\gamma=3.82882$
 $Q^2=11.093$, $x_B=0.589575$, $t=-2.11653$, $W^2=8.60207$, $y=0.911766$
 $\theta(\ell', \gamma)=142.303$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.7195$ $p_y= -1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.7195$ $p_y= 1.4112$ $p_z= 0.0000$
 ℓ' $E= 1.3920$ $p_x= 1.3914$ $p_y= 0.0408$ $p_z= 0.0000$
 P' $E= 1.4465$ $p_x= 0.0000$ $p_y= 1.1011$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.3914$ $p_y= -1.1419$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=96.5%)




Ty proton characteristic max $C_{\ell_0\gamma}$ configuration

c_e gamma_high egamma_ty_proton_region_2 $C_{\ell_0\gamma}=2.53092\text{e-}12$
region: high_Egamma_Ty_proton_region_2 final-pair delta_xy=3.04774 rad
outgoing-state purity: 0.500479
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{y,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.190824$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=0.392699$, $\phi_P=3.53429$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=0.392699$
 $Q^2=16.7024$, $x_B=0.839929$, $t=-3.18681$, $W^2=4.06292$, $y=0.96363$
 $\theta(\ell', \gamma)=174.623$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 2.0551$ $p_y= 0.8512$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.0551$ $p_y= -0.8512$ $p_z= 0.0000$
 ℓ' $E= 1.8813$ $p_x= -1.6630$ $p_y= -0.8797$ $p_z= 0.0000$
 P' $E= 0.9572$ $p_x= 0.0000$ $p_y= 0.1908$ $p_z= 0.0000$
 q_{γ} $E= 1.8000$ $p_x= 1.6630$ $p_y= 0.6888$ $p_z= 0.0000$


3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=96.5%)




Ty proton characteristic max $C_{\ell_0\gamma}$ configuration

c_e_gamma_high_egamma_ty_proton_region_3 $C_{\ell_0\gamma}=2.0377\text{e-}12$
region: high_Egamma_Ty_proton_region_3 final-pair delta_xy=3.11511 rad
outgoing-state purity: 0.50001
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{y,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.106402$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=2.06167$, $\phi_p=5.20326$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=2.06167$
 $Q^2=16.8537$, $x_B=0.84631$, $t=-3.21568$, $W^2=3.94048$, $y=0.965029$
 $\theta(\ell', \gamma)=178.483$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.0486$ $p_y= 1.9618$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.0486$ $p_y= -1.9618$ $p_z= 0.0000$
 ℓ' $E= 1.8945$ $p_x= 0.8485$ $p_y= -1.6939$ $p_z= 0.0000$
 P' $E= 0.9440$ $p_x= 0.0000$ $p_y= 0.1064$ $p_z= 0.0000$
 q_{γ} $E= 1.8000$ $p_x= -0.8485$ $p_y= 1.5875$ $p_z= 0.0000$

3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=96.5%)

