


high_Egamma Ty proton: max $C_{p\gamma}$ regions




Ty proton characteristic max $C_{p\gamma}$ configuration

c_p_gamma_high_egamma_ty_proton_region_0 C_{p\gamma}=0.987346
 region: high_Egamma_Ty_proton_region_0 final-pair delta_xy=0 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0},T_{y,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0956529$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1.8$, $\phi_\gamma=1.5708$
 $Q^2=7.42301e-12$, $x_B=2.4338e-12$, $t=-2.36711$, $W^2=3.92981$, $y=0.147798$
 $\theta(l',\gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.8957$ $p_x= -0.0000$ $p_y= -1.8957$ $p_z= 0.0000$
 P' $E= 0.9429$ $p_x= 0.0000$ $p_y= 0.0957$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.0000$ $p_y= 1.8000$ $p_z= 0.0000$


3D momenta



Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Ty proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_ty_proton_region_1 C_{\gamma}=0.986527
 region: high_Egamma_Ty_proton_region_1 final-pair delta_xy=0.981748 rad
 outgoing-state purity: 0.500001
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{y,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.151482$
 $\theta_{in}=1.57079$, $\phi_{\ell}=5.59596$, $\phi_P=2.45437$
 $E_Y=1.8$, $\phi_Y=2.55254$
 $Q^2=0.00414797$, $x_B=0.00132874$, $t=-2.40031$, $W^2=3.99742$, $y=0.151276$
 $\theta(\ell', \gamma)=176.176$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 1.7195$ $p_y= -1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.7195$ $p_y= 1.4112$ $p_z= 0.0000$
 ℓ' $E= 1.8884$ $p_x= 1.4966$ $p_y= -1.1515$ $p_z= 0.0000$
 P' $E= 0.9502$ $p_x= 0.0000$ $p_y= 0.1515$ $p_z= 0.0000$
 q_Y $E= 1.8000$ $p_x= -1.4966$ $p_y= 1.0000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Ty proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_ty_proton_region_2 C_{p\gamma}=0.986527
 region: high_Egamma_Ty_proton_region_2 final-pair delta_xy=0.981748 rad
 outgoing-state purity: 0.500001
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0}, T_{y,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.151482$
 $\theta_{in}=1.57079$, $\phi_l=3.82882$, $\phi_P=0.687223$
 $E_\gamma=1.8$, $\phi_\gamma=0.589049$
 $Q^2=0.00414797$, $x_B=0.00132874$, $t=-2.40031$, $W^2=3.99742$, $y=0.151276$
 $\theta(l', \gamma)=176.176$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l	$E= 2.2244$	$p_x= -1.7195$	$p_y= -1.4112$	$p_z= -0.0000$
P	$E= 2.4141$	$p_x= 1.7195$	$p_y= 1.4112$	$p_z= 0.0000$
l'	$E= 1.8884$	$p_x= -1.4966$	$p_y= -1.1515$	$p_z= 0.0000$
P'	$E= 0.9502$	$p_x= 0.0000$	$p_y= 0.1515$	$p_z= 0.0000$
q_γ	$E= 1.8000$	$p_x= 1.4966$	$p_y= 1.0000$	$p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)

