


low\_Egamma Ty proton: max  $P_{\text{GHz}+}$  regions




# Ty proton characteristic max $P_{\text{GHZ+}}$ configuration

ghz\_purity\_low\_egamma\_ty\_proton\_region\_0  $P_{\{\text{rm GHZ+}\}}=0.27971$   
 region: low\_Egamma\_Ty\_proton\_region\_0  
 outgoing-state purity: 0.500003  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{y,p})$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.07351$   
 $\theta_{\text{in}}=1.57079$ ,  $\phi_{\ell}=1.66897$ ,  $\phi_P=4.81056$   
 $E_{\gamma}=0.25$ ,  $\phi_{\gamma}=0.0981748$   
 $Q^2=18.5794$ ,  $x_B=0.947171$ ,  $t=-18.4086$ ,  $W^2=1.91613$ ,  $y=0.950556$   
 $\theta(\ell', \gamma)=102.388$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= -0.2180$   $p_y= 2.2137$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.2180$   $p_y= -2.2137$   $p_z= 0.0000$   
 $\ell'$   $E= 2.1127$   $p_x= -0.2488$   $p_y= -2.0980$   $p_z= 0.0000$   
 $P'$   $E= 2.2758$   $p_x= 0.0000$   $p_y= 2.0735$   $p_z= 0.0000$   
 $q_{\gamma}$   $E= 0.2500$   $p_x= 0.2488$   $p_y= 0.0245$   $p_z= 0.0000$


## 3D momenta



## Transverse plane




## Leading initial-ensemble/final-state components (N=4, retained=100.0%)



# Ty proton characteristic max $P_{\text{GHZ+}}$ configuration

## 3D momenta




ghz\_purity\_low\_egamma\_ty\_proton\_region\_1  $P_{\{\text{rm GHZ+}\}}=0.27971$   
 region: low\_Egamma\_Ty\_proton\_region\_1  
 outgoing-state purity: 0.500003  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{y,p})$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.07351$   
 $\theta_{\text{in}}=1.57079$ ,  $\phi_\ell=1.47262$ ,  $\phi_P=4.61421$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=3.04342$   
 $Q^2=18.5794$ ,  $x_B=0.947171$ ,  $t=-18.4086$ ,  $W^2=1.91613$ ,  $y=0.950556$   
 $\theta(\ell', \gamma)=102.388$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:

|            |             |                |                |                |
|------------|-------------|----------------|----------------|----------------|
| $\ell$     | $E=$ 2.2244 | $p_x=$ 0.2180  | $p_y=$ 2.2137  | $p_z=$ -0.0000 |
| $P$        | $E=$ 2.4141 | $p_x=$ -0.2180 | $p_y=$ -2.2137 | $p_z=$ 0.0000  |
| $\ell'$    | $E=$ 2.1127 | $p_x=$ 0.2488  | $p_y=$ -2.0980 | $p_z=$ 0.0000  |
| $P'$       | $E=$ 2.2758 | $p_x=$ 0.0000  | $p_y=$ 2.0735  | $p_z=$ 0.0000  |
| $q_\gamma$ | $E=$ 0.2500 | $p_x=$ -0.2488 | $p_y=$ 0.0245  | $p_z=$ 0.0000  |

## Transverse plane



## Leading initial-ensemble/final-state components (N=4, retained=100.0%)

