


mid\_Egamma Ty proton: max  $P_W$  regions




# Ty proton characteristic max $P_W$ configuration

w\_purity\_mid\_egamma\_ty\_proton\_region\_0 P\_W=0.265853  
 region: mid\_Egamma\_Ty\_proton\_region\_0  
 outgoing-state purity: 0.500049  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2} \sum_{h_{l_0}} \rho(h_{l_0}, T_{Y,p})$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.20638$   
 $\theta_{in}=1.57079$ ,  $\phi_\ell=4.71239$ ,  $\phi_P=1.5708$   
 $E_Y=1$ ,  $\phi_Y=4.90874$   
 $Q^2=0.068646$ ,  $x_B=0.00746834$ ,  $t=-4.94515e-05$ ,  $W^2=10.0028$ ,  $y=0.445416$   
 $\theta(\ell', \gamma)=20.2945$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= -0.0000$   $p_y= -2.2244$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.0000$   $p_y= 2.2244$   $p_z= 0.0000$   
 $\ell'$   $E= 1.2410$   $p_x= -0.1951$   $p_y= -1.2256$   $p_z= 0.0000$   
 $P'$   $E= 2.3975$   $p_x= 0.0000$   $p_y= 2.2064$   $p_z= 0.0000$   
 $q_Y$   $E= 1.0000$   $p_x= 0.1951$   $p_y= -0.9808$   $p_z= 0.0000$


3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=6, retained=100.0%)






# Ty proton characteristic $P_W$ configuration

w\_purity\_mid\_egamma\_ty\_proton\_region\_1 P\_W=0.190755  
 region: mid\_Egamma\_Ty\_proton\_region\_1  
 outgoing-state purity: 0.5  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2} \sum_{h_{\ell_0}} \rho(h_{\ell_0}, T_{Y,p})$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.5395$   
 $\theta_{in}=1.57079$ ,  $\phi_{\ell}=4.71239$ ,  $\phi_P=1.5708$   
 $E_Y=1$ ,  $\phi_Y=0$   
 $Q^2=1.31807$ ,  $x_B=0.267706$ ,  $t=-0.0953632$ ,  $W^2=4.48534$ ,  $y=0.238591$   
 $\theta(\ell', \gamma)=123.006$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= -0.0000$   $p_y= -2.2244$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.0000$   $p_y= 2.2244$   $p_z= 0.0000$   
 $\ell'$   $E= 1.8358$   $p_x= -1.0000$   $p_y= -1.5395$   $p_z= 0.0000$   
 $P'$   $E= 1.8027$   $p_x= 0.0000$   $p_y= 1.5395$   $p_z= 0.0000$   
 $q_Y$   $E= 1.0000$   $p_x= 1.0000$   $p_y= 0.0000$   $p_z= 0.0000$




# Ty proton characteristic max $P_W$ configuration

w\_purity\_mid\_egamma\_ty\_proton\_region\_2 P\_W=0.176367  
 region: mid\_Egamma\_Ty\_proton\_region\_2  
 outgoing-state purity: 0.500002  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2} \sum_{h_{l_0}} \rho(h_{l_0}, T_{Y,p})$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.15835$   
 $\theta_{in}=1.57079$ ,  $\phi_l=4.81056$ ,  $\phi_p=1.66897$   
 $E_Y=1$ ,  $\phi_Y=1.37445$   
 $Q^2=0.170392$ ,  $x_B=0.193798$ ,  $t=-0.308298$ ,  $W^2=1.58868$ ,  $y=0.0426065$   
 $\theta(l', \gamma)=173.961$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= 0.2180$   $p_y= -2.2137$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -0.2180$   $p_y= 2.2137$   $p_z= 0.0000$   
 $\ell'$   $E= 2.1480$   $p_x= -0.1951$   $p_y= -2.1391$   $p_z= 0.0000$   
 $P'$   $E= 1.4905$   $p_x= 0.0000$   $p_y= 1.1583$   $p_z= 0.0000$   
 $q_Y$   $E= 1.0000$   $p_x= 0.1951$   $p_y= 0.9808$   $p_z= 0.0000$

3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)

