



high_Egamma Unpolarized: max $C_{\ell_0 p}$ regions



Unpolarized characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_ep_high_egamma_unpolarized_region_0 $C_{\{\ell_0 p\}}=2.55351e-14$
 region: high_Egamma_unpolarized_region_0 final-pair delta_xy=3.14159 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{4} \sum_{h_{\ell_0}, h_p} \rho(h_{\ell_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0956529$
 $\theta_{in}=1.57079$, $\phi_l=1.5708$, $\phi_P=4.71239$
 $E_\gamma=1.8$, $\phi_\gamma=1.5708$
 $Q^2=16.8669$, $x_B=0.846865$, $t=-3.21819$, $W^2=3.92981$, $y=0.965151$
 $\theta(\ell', \gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.8957$ $p_x= -0.0000$ $p_y= -1.8957$ $p_z= 0.0000$
 P' $E= 0.9429$ $p_x= 0.0000$ $p_y= 0.0957$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.0000$ $p_y= 1.8000$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=-1$
 massless lepton $h=-1$, proton $h=-1$

$h_e=+1, h_p=+1, h_\gamma=+1$
 massless lepton $h=+1$, proton $h=+1$

Leading initial-ensemble/final-state components (N=2, retained=96.5%)




Unpolarized characteristic max $C_{\ell_0 p}$ configuration

c_ep_high_egamma_unpolarized_region_1 $C_{\ell_0 p}=0$
 region: high_Egamma_unpolarized_region_1 final-pair delta_xy=1.76641 rad
 outgoing-state purity: 0.499034
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{4} \sum_{h_{\ell_0}, h_p} \rho(h_{\ell_0}, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.356666$
 $\theta_{in}=1.57079$, $\phi_{\ell}=0$, $\phi_p=3.14159$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=0$
 $Q^2=16.1715$, $x_B=0.817396$, $t=-3.08551$, $W^2=4.49252$, $y=0.958721$
 $\theta(\ell', \gamma)=168.792$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 ℓ' $E= 1.8350$ $p_x= -1.8000$ $p_y= -0.3567$ $p_z= 0.0000$
 P' $E= 1.0035$ $p_x= 0.0000$ $p_y= 0.3567$ $p_z= 0.0000$
 q_{γ} $E= 1.8000$ $p_x= 1.8000$ $p_y= 0.0000$ $p_z= 0.0000$


3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=96.3%)



Unpolarized characteristic max $C_{\ell_0 p}$ configuration


c_ep_high_egamma_unpolarized_region_2 $C_{\{\ell_0 p\}}=0$
 region: high_Egamma_unpolarized_region_2 final-pair delta_xy=2.95525 rad
 outgoing-state purity: 0.405033
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{4} \sum_{h_{\ell_0}, h_p} \rho(h_{\ell_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0972622$
 $\theta_{in}=1.57079$, $\phi_\ell=0$, $\phi_P=3.14159$
 $E_\gamma=1.8$, $\phi_\gamma=1.37445$
 $Q^2=9.99498$, $x_B=0.766106$, $t=-2.79344$, $W^2=3.93133$, $y=0.632219$
 $\theta(\ell', \gamma)=179.426$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 ℓ' $E= 1.8955$ $p_x= -0.3512$ $p_y= -1.8627$ $p_z= 0.0000$
 P' $E= 0.9430$ $p_x= 0.0000$ $p_y= 0.0973$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.3512$ $p_y= 1.7654$ $p_z= 0.0000$


3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=6, retained=95.3%)



Unpolarized characteristic max $C_{l_0 p}$ configuration


c_ep_high_egamma_unpolarized_region_3 $C_{\{l_0 p\}}=0$
 region: high_Egamma_unpolarized_region_3 final-pair delta_xy=2.05734 rad
 outgoing-state purity: 0.262941
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{4} \sum_{h_{l_0}, h_p} \rho(h_{l_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.190824$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_V=1.8$, $\phi_V=2.74889$
 $Q^2=0.971273$, $x_B=0.233797$, $t=-2.86193$, $W^2=4.06292$, $y=0.201316$
 $\theta(l', \gamma)=174.623$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 1.8813$ $p_x= 1.6630$ $p_y= -0.8797$ $p_z= 0.0000$
 P' $E= 0.9572$ $p_x= 0.0000$ $p_y= 0.1908$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.6630$ $p_y= 0.6888$ $p_z= 0.0000$

3D momenta



Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=99.9%)

