



low_Egamma Unpolarized: max $C_{\ell_0\gamma}$ regions



Unpolarized characteristic $C_{\ell_0\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_unpolarized_region_0 $C_{\ell_0\gamma}=3.47973\text{e-}11$
 region: low_Egamma_unpolarized_region_0 final-pair delta_xy=0.658658 rad
 outgoing-state purity: 0.255897
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{4} \sum_{h_{\ell_0}, h_p} \rho(h_{\ell_0}, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.19996$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=4.12334$, $\phi_P=0.981748$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=4.12334$
 $Q^2=1.85841$, $x_B=0.468254$, $t=-1.64954$, $W^2=2.99024$, $y=0.192324$
 $\theta(\ell', \gamma)=37.7383$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.2358$ $p_y= -1.8495$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.2358$ $p_y= 1.8495$ $p_z= 0.0000$
 ℓ' $E= 1.9969$ $p_x= 0.1389$ $p_y= -1.9921$ $p_z= 0.0000$
 P' $E= 2.3916$ $p_x= 0.0000$ $p_y= 2.2000$ $p_z= 0.0000$
 q_{γ} $E= 0.2500$ $p_x= -0.1389$ $p_y= -0.2079$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=75.3%)



Unpolarized characteristic $C_{\ell_0\gamma}$ configuration

3D momenta




c e_gamma_low_egamma_unpolarized_region_1 $C_{\ell_0\gamma}=1.96047\text{e-}11$
 region: low_Egamma_unpolarized_region_1 final-pair delta_xy=0.550122 rad
 outgoing-state purity: 0.253355
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{4} \sum_{h_{\ell_0}, h_p} \rho(h_{\ell_0}, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20723$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=5.20326$, $\phi_P=2.06167$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=5.20326$
 $Q^2=1.30635$, $x_B=0.375519$, $t=-1.15953$, $W^2=3.05228$, $y=0.168579$
 $\theta(\ell', \gamma)=31.5197$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 1.0486$ $p_y= -1.9618$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.0486$ $p_y= 1.9618$ $p_z= 0.0000$
 ℓ' $E= 1.9902$ $p_x= -0.1178$ $p_y= -1.9868$ $p_z= 0.0000$
 P' $E= 2.3983$ $p_x= 0.0000$ $p_y= 2.2072$ $p_z= 0.0000$
 q_{γ} $E= 0.2500$ $p_x= 0.1178$ $p_y= -0.2205$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=75.8%)




Unpolarized characteristic $C_{\ell_0\gamma}$ configuration

c_e_gamma_low_egamma unpolarized_region_2 C_{\ell_0\gamma}=1.77591e-11
 region: low_Egamma_unpolarized_region_2 final-pair delta_xy=2.7043 rad
 outgoing-state purity: 0.497707
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{4} \sum_{h_{\ell_0}, h_p} \rho(h_{\ell_0}, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.97681$
 $\theta_{in}=1.57079$, $\phi_{\ell}=1.07992$, $\phi_P=4.22152$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=1.07992$
 $Q^2=18.6577$, $x_B=0.988224$, $t=-16.5608$, $W^2=1.10218$, $y=0.914909$
 $\theta(\ell', \gamma)=154.945$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 1.0486$ $p_y= 1.9618$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.0486$ $p_y= -1.9618$ $p_z= 0.0000$
 ℓ' $E= 2.2005$ $p_x= -0.1178$ $p_y= -2.1973$ $p_z= 0.0000$
 P' $E= 2.1881$ $p_x= 0.0000$ $p_y= 1.9768$ $p_z= 0.0000$
 q_{γ} $E= 0.2500$ $p_x= 0.1178$ $p_y= 0.2205$ $p_z= 0.0000$


3D momenta



Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.1%)



Unpolarized characteristic $C_{\ell_0\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_unpolarized_region_3 C_{\ell_0\gamma}=1.21065e-11
 region: low_Egamma_unpolarized_region_3 final-pair delta_xy=1.69006 rad
 outgoing-state purity: 0.368276
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{4} \sum_{h_{\ell_0}, h_p} \rho(h_{\ell_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.08621$
 $\theta_{in}=1.57079$, $\phi_{\ell}=3.14159$, $\phi_P=0$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=3.14159$
 $Q^2=10.4598$, $x_B=0.901436$, $t=-9.28425$, $W^2=2.02353$, $y=0.562294$
 $\theta(\ell', \gamma)=96.8334$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 ℓ' $E= 2.1011$ $p_x= 0.2500$ $p_y= -2.0862$ $p_z= 0.0000$
 P' $E= 2.2874$ $p_x= 0.0000$ $p_y= 2.0862$ $p_z= 0.0000$
 q_{γ} $E= 0.2500$ $p_x= -0.2500$ $p_y= 0.0000$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=89.5%)

