


mid_Egamma Unpolarized: max $C_{\ell_0\gamma}$ regions



Unpolarized characteristic $C_{\ell_0\gamma}$ configuration


c_e_gamma_mid_egamma_unpolarized_region_0 C_{\ell_0\gamma}=2.44361e-11
 region: mid_Egamma_unpolarized_region_0 final-pair delta_xy=2.98299 rad
 outgoing-state purity: 0.499909
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{4} \sum_{h_{\ell_0}, h_p} \rho(h_{\ell_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.16564$
 $\theta_{in}=1.57079$, $\phi_{\ell}=1.86532$, $\phi_P=5.00691$
 $E_{\gamma}=1$, $\phi_{\gamma}=1.86532$
 $Q^2=18.9422$, $x_B=0.961354$, $t=-10.4266$, $W^2=1.64131$, $y=0.954819$
 $\theta(\ell', \gamma)=170.912$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.2244$	$p_x= -0.6457$	$p_y= 2.1286$	$p_z= -0.0000$
P	$E= 2.4141$	$p_x= 0.6457$	$p_y= -2.1286$	$p_z= 0.0000$
ℓ'	$E= 2.1423$	$p_x= 0.2903$	$p_y= -2.1226$	$p_z= 0.0000$
P'	$E= 1.4962$	$p_x= 0.0000$	$p_y= 1.1656$	$p_z= 0.0000$
q_{γ}	$E= 1.0000$	$p_x= -0.2903$	$p_y= 0.9569$	$p_z= 0.0000$


3D momenta



Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.7%)



Unpolarized characteristic $C_{\ell_0\gamma}$ configuration

3D momenta




c_e gamma mid_egamma unpolarized_region_1 $C_{\{\ell_0\gamma\}}=1.71911e-11$
region: mid_Egamma_unpolarized_region_1 final-pair delta_xy=2.58087 rad
outgoing-state purity: 0.487991
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{4} \sum_{h_{\ell_0}, h_p} \rho(h_{\ell_0}, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.30122$
 $\theta_{in}=1.57079$, $\phi_\ell=0.589049$, $\phi_P=3.73064$
 $E_\gamma=1$, $\phi_\gamma=0.589049$
 $Q^2=16.7159$, $x_B=0.904629$, $t=-9.20119$, $W^2=2.64213$, $y=0.895436$
 $\theta(\ell', \gamma)=147.873$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 1.8495$ $p_y= 1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.8495$ $p_y= -1.2358$ $p_z= 0.0000$
 ℓ' $E= 2.0345$ $p_x= -0.8315$ $p_y= -1.8568$ $p_z= 0.0000$
 P' $E= 1.6041$ $p_x= 0.0000$ $p_y= 1.3012$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.8315$ $p_y= 0.5556$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=95.4%)




Unpolarized characteristic $C_{\ell_0\gamma}$ configuration

c_e_gamma_mid_egamma_unpolarized_region_2 C_{\ell_0\gamma}=1.07954e-11
 region: mid_Egamma_unpolarized_region_2 final-pair delta_xy=1.54753 rad
 outgoing-state purity: 0.312454
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{4} \sum_{h_{\ell_0}, h_p} \rho(h_{\ell_0}, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.86489$
 $\theta_{in}=1.57079$, $\phi_{\ell}=5.69414$, $\phi_P=2.55254$
 $E_{\gamma}=1$, $\phi_{\gamma}=5.69414$
 $Q^2=6.73972$, $x_B=0.518964$, $t=-3.70984$, $W^2=7.127$, $y=0.629331$
 $\theta(\ell', \gamma)=88.6672$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 1.8495$ $p_y= -1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.8495$ $p_y= 1.2358$ $p_z= 0.0000$
 ℓ' $E= 1.5510$ $p_x= -0.8315$ $p_y= -1.3093$ $p_z= 0.0000$
 P' $E= 2.0875$ $p_x= 0.0000$ $p_y= 1.8649$ $p_z= 0.0000$
 q_{γ} $E= 1.0000$ $p_x= 0.8315$ $p_y= -0.5556$ $p_z= 0.0000$


3D momenta



Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=84.1%)



Unpolarized characteristic $C_{\ell_0\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_unpolarized_region_3 $C_{\ell_0\gamma}=5.38025e-12$
 region: mid_Egamma_unpolarized_region_3 final-pair delta_xy=0.694195 rad
 outgoing-state purity: 0.254248
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{4} \sum_{h_{\ell_0}, h_p} \rho(h_{\ell_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.15447$
 $\theta_{in}=1.57079$, $\phi_{\ell}=4.31969$, $\phi_P=1.1781$
 $E_Y=1$, $\phi_Y=4.31969$
 $Q^2=1.32686$, $x_B=0.132588$, $t=-0.730363$, $W^2=9.56038$, $y=0.484949$
 $\theta(\ell', \gamma)=39.7745$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.8512$ $p_y= -2.0551$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.8512$ $p_y= 2.0551$ $p_z= 0.0000$
 ℓ' $E= 1.2887$ $p_x= 0.3827$ $p_y= -1.2306$ $p_z= 0.0000$
 P' $E= 2.3498$ $p_x= 0.0000$ $p_y= 2.1545$ $p_z= 0.0000$
 q_Y $E= 1.0000$ $p_x= -0.3827$ $p_y= -0.9239$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=78.8%)

