



high_Egamma L muon: max P_W regions



L muon characteristic max P_W configuration

3D momenta




w_purity_high_egamma_l_electron_region_0 P_W=0.333333
region: high_Egamma_L_electron_region_0
outgoing-state purity: 0.999999
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=0.0929745$
 $\theta_{in}=1.57079$, $\phi_\ell=1.5708$, $\phi_P=4.71239$
 $E_Y=1.8$, $\phi_Y=1.5708$
 $Q^2=16.8335$, $x_B=0.846238$, $t=-3.20247$, $W^2=3.93848$, $y=0.964473$
 $\theta(\ell', \gamma)=180$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2256$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= 0.0000$
 ℓ' $E= 1.8959$ $p_x= -0.0000$ $p_y= -1.8930$ $p_z= 0.0000$
 P' $E= 0.9426$ $p_x= 0.0000$ $p_y= 0.0930$ $p_z= 0.0000$
 q_Y $E= 1.8000$ $p_x= 0.0000$ $p_y= 1.8000$ $p_z= 0.0000$

Transverse plane




$h_e=-1$, $h_p=-1$, $h_Y=+1$
muon L, proton h=-1

Leading initial-ensemble/final-state components (N=1, retained=100.0%)



L muon characteristic max P_W configuration

3D momenta




w_purity_high_egamma_l_electron_region_1 P_W=0.280187
region: high_Egamma_L_electron_region_1
outgoing-state purity: 0.99997
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2} \sum_{h_p} \rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=0.147625$
 $\theta_{in}=1.57079$, $\phi_l=2.55254$, $\phi_P=5.69414$
 $E_Y=1.8$, $\phi_Y=2.55254$
 $Q^2=16.7538$, $x_B=0.842878$, $t=-3.18728$, $W^2=4.00295$, $y=0.963737$
 $\theta(l', \gamma)=176.268$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l	$E=$	2.2256	$p_x=$	-1.8484	$p_y=$	1.2351	$p_z=$	-0.0000
P	$E=$	2.4129	$p_x=$	1.8484	$p_y=$	-1.2351	$p_z=$	0.0000
l'	$E=$	1.8890	$p_x=$	1.4966	$p_y=$	-1.1477	$p_z=$	0.0000
P'	$E=$	0.9495	$p_x=$	0.0000	$p_y=$	0.1476	$p_z=$	0.0000
q_Y	$E=$	1.8000	$p_x=$	-1.4966	$p_y=$	1.0000	$p_z=$	0.0000


Transverse plane



$h_e=-1, h_p=-1, h_Y=+1$
muon L, proton h=-1


$h_e=-1, h_p=+1, h_Y=+1$
muon L, proton h=-1

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L muon characteristic max P_W configuration

3D momenta




w_purity_high_egamma_l_electron_region_2 P_W=0.280182
 region: high_Egamma_L_electron_region_2
 outgoing-state purity: 0.99997
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=0.147625$
 $\theta_{in}=1.57079$, $\phi_l=0.589049$, $\phi_p=3.73064$
 $E_\gamma=1.8$, $\phi_\gamma=0.589049$
 $Q^2=16.7538$, $x_B=0.842878$, $t=-3.18728$, $W^2=4.00295$, $y=0.963737$
 $\theta(l', \gamma)=176.268$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 1.8484$ $p_y= 1.2351$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -1.8484$ $p_y= -1.2351$ $p_z= 0.0000$
 l' $E= 1.8890$ $p_x= -1.4966$ $p_y= -1.1477$ $p_z= 0.0000$
 P' $E= 0.9495$ $p_x= 0.0000$ $p_y= 0.1476$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.4966$ $p_y= 1.0000$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 muon L, proton h=-1


$h_e=-1, h_p=+1, h_\gamma=+1$
 muon L, proton h=-1

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L muon characteristic max P_W configuration

3D momenta




w_purity_high_egamma_l_electron_region_3 P_W=0.251383
 region: high_Egamma_L_electron_region_3
 outgoing-state purity: 0.877431
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2} \sum_{h_p} \rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.09566$
 $\theta_{in}=1.57079$, $\phi_l=5.59596$, $\phi_p=2.45437$
 $E_\gamma=1.8$, $\phi_\gamma=5.59596$
 $Q^2=11.1052$, $x_B=0.590707$, $t=-2.11021$, $W^2=8.5745$, $y=0.911515$
 $\theta(l', \gamma)=142.529$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 1.7185$ $p_y= -1.4103$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -1.7185$ $p_y= 1.4103$ $p_z= 0.0000$
 l' $E= 1.3962$ $p_x= -1.3914$ $p_y= 0.0463$ $p_z= 0.0000$
 P' $E= 1.4423$ $p_x= 0.0000$ $p_y= 1.0957$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.3914$ $p_y= -1.1419$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 muon L, proton h=-1

$h_e=-1, h_p=+1, h_\gamma=+1$
 muon L, proton h=-1

$h_e=-1, h_p=-1, h_\gamma=+1$
 muon L, proton h=+1

$h_e=-1, h_p=+1, h_\gamma=+1$
 muon L, proton h=+1

Leading initial-ensemble/final-state components (N=4, retained=100.0%)

