



low_Egamma L muon: max $C_{p\gamma}$ regions

L muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_electron_region_0 $C_{\{p\gamma\}}=0.404553$
 region: low_Egamma_L_electron_region_0 final-pair delta_xy=2.65072 rad
 outgoing-state purity: 0.567333
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.20577$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=5.20326$
 $Q^2=0.0156768$, $x_B=0.00716882$, $t=-4.575e-05$, $W^2=3.05097$, $y=0.106027$
 $\theta(\ell', \gamma)=31.5222$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 ℓ' $E= 1.9916$ $p_x= -0.1178$ $p_y= -1.9853$ $p_z= 0.0000$
 P' $E= 2.3969$ $p_x= 0.0000$ $p_y= 2.2058$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1178$ $p_y= -0.2205$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=98.5%)



L muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_electron_region_1 $C_{\{p\}\gamma}=0.287525$
region: low_Egamma_L_electron_region_1 final-pair delta_xy=2.25802 rad
outgoing-state purity: 0.537531
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.17054$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=3.82882$
 $Q^2=0.0412726$, $x_B=0.0215857$, $t=-0.000426148$, $W^2=2.75061$, $y=0.0927056$
 $\theta(\ell', \gamma)=56.1116$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 ℓ' $E= 2.0240$ $p_x= 0.1933$ $p_y= -2.0119$ $p_z= 0.0000$
 P' $E= 2.3646$ $p_x= 0.0000$ $p_y= 2.1705$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1933$ $p_y= -0.1586$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=-1, h_\gamma=+1$
muon L, proton h=+1

$h_e=+1, h_p=+1, h_\gamma=-1$
muon L, proton h=-1

$h_e=+1, h_p=-1, h_\gamma=-1$
muon L, proton h=-1


$h_e=+1, h_p=+1, h_\gamma=-1$
muon L, proton h=+1

Leading initial-ensemble/final-state components (N=4, retained=99.9%)



L muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_electron_region_2 $C_{\{p\}\gamma}=0.110735$
 region: low_Egamma_L_electron_region_2 final-pair delta_xy=1.27627 rad
 outgoing-state purity: 0.506554
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p} \rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.04763$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=0.294524$
 $Q^2=0.0598405$, $x_B=0.0673297$, $t=-0.0049868$, $W^2=1.70877$, $y=0.0430921$
 $\theta(\ell', \gamma)=113.313$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 ℓ' $E= 2.1363$ $p_x= -0.2392$ $p_y= -2.1202$ $p_z= 0.0000$
 P' $E= 2.2522$ $p_x= 0.0000$ $p_y= 2.0476$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2392$ $p_y= 0.0726$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
 muon L, proton h=+1


$h_e=+1, h_p=+1, h_\gamma=-1$
 muon L, proton h=-1

Leading initial-ensemble/final-state components (N=2, retained=98.8%)



L muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_electron_region_3 $C_{\{p\gamma\}}=0.0712216$
region: low_Egamma_L_electron_region_3 final-pair delta_xy=0.883573 rad
outgoing-state purity: 0.502721
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.00509$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=2.45437$
 $Q^2=0.038302$, $x_B=0.0752321$, $t=-0.00783274$, $W^2=1.35066$, $y=0.0246847$
 $\theta(\ell', \gamma)=134.479$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 ℓ' $E= 2.1749$ $p_x= 0.1933$ $p_y= -2.1637$ $p_z= 0.0000$
 P' $E= 2.2136$ $p_x= 0.0000$ $p_y= 2.0051$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1933$ $p_y= 0.1586$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
muon L, proton h=+1

$h_e=+1, h_p=+1, h_\gamma=-1$
muon L, proton h=-1

Leading initial-ensemble/final-state components (N=2, retained=99.5%)

