



low_Egamma L muon: max $P_{\text{GHZ}+}$ regions



L muon characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_l_electron_region_0 $P_{\text{GHZ}}=0.279239$
region: low_Egamma_L_electron_region_0
outgoing-state purity: 0.999883
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2} \sum_{h_p} \rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.02504$
 $\theta_{\text{in}}=1.57079$, $\phi_l=1.47262$, $\phi_P=4.61421$
 $E_\gamma=0.25$, $\phi_\gamma=2.65072$
 $Q^2=18.9638$, $x_B=0.967424$, $t=-17.9706$, $W^2=1.51841$, $y=0.950427$
 $\theta(l', \gamma)=123.999$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2256$ $p_x= 0.2179$ $p_y= 2.2124$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -0.2179$ $p_y= -2.2124$ $p_z= 0.0000$
 ℓ' $E= 2.1568$ $p_x= 0.2205$ $p_y= -2.1429$ $p_z= 0.0000$
 P' $E= 2.2317$ $p_x= 0.0000$ $p_y= 2.0250$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2205$ $p_y= 0.1178$ $p_z= 0.0000$


Transverse plane



$h_e=+1$, $h_p=+1$, $h_\gamma=+1$
muon L, proton h=+1


$h_e=+1$, $h_p=+1$, $h_\gamma=-1$
muon L, proton h=+1

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L muon characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_l_electron_region_1 $P_{\text{GHZ}}=0.279239$
 region: low_Egamma_L_electron_region_1
 outgoing-state purity: 0.999883
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2} \sum_{h_p} \rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.02504$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=1.66897$, $\phi_P=4.81056$
 $E_\gamma=0.25$, $\phi_\gamma=0.490874$
 $Q^2=18.9638$, $x_B=0.967424$, $t=-17.9706$, $W^2=1.51841$, $y=0.950427$
 $\theta(\ell', \gamma)=123.999$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2256$ $p_x= -0.2179$ $p_y= 2.2124$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.2179$ $p_y= -2.2124$ $p_z= 0.0000$
 ℓ' $E= 2.1568$ $p_x= -0.2205$ $p_y= -2.1429$ $p_z= 0.0000$
 P' $E= 2.2317$ $p_x= 0.0000$ $p_y= 2.0250$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2205$ $p_y= 0.1178$ $p_z= 0.0000$

Transverse plane



$h_e=+1$, $h_p=+1$, $h_\gamma=+1$
 muon L, proton h=+1

$h_e=+1$, $h_p=+1$, $h_\gamma=-1$
 muon L, proton h=+1

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

