



mid_Egamma L muon: max $C_{p\gamma}$ regions



L muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_l_electron_region_0 $C_{p\gamma}=0.486274$
 region: mid_Egamma_L_electron_region_0 final-pair delta_xy=2.84707 rad
 outgoing-state purity: 0.586803
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.18202$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=5.00691$
 $Q^2=0.154517$, $x_B=0.0170157$, $t=-0.000259242$, $W^2=9.80615$, $y=0.440286$
 $\theta(\ell', \gamma)=30.2055$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 ℓ' $E= 1.2634$ $p_x= -0.2903$ $p_y= -1.2251$ $p_z= 0.0000$
 P' $E= 2.3751$ $p_x= 0.0000$ $p_y= 2.1820$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.2903$ $p_y= -0.9569$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=-1, h_\gamma=+1$
 muon L, proton h=+1

$h_e=+1, h_p=-1, h_\gamma=-1$
 muon L, proton h=-1

$h_e=+1, h_p=+1, h_\gamma=-1$
 muon L, proton h=+1


$h_e=+1, h_p=+1, h_\gamma=-1$
 muon L, proton h=-1

Leading initial-ensemble/final-state components (N=4, retained=96.2%)



L muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_l_electron_region_1 $C_{\{p\gamma\}}=0.223578$
region: mid_Egamma_L_electron_region_1 final-pair delta_xy=2.06167 rad
outgoing-state purity: 0.581965
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.80617$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_P=1.5708$
 $E_\gamma=1$, $\phi_\gamma=3.63247$
 $Q^2=1.17964$, $x_B=0.169662$, $t=-0.0311955$, $W^2=6.65312$, $y=0.337114$
 $\theta(\ell', \gamma)=95.3288$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E=$	2.2256	$p_x=$	-0.0000	$p_y=$	-2.2231	$p_z=$	-0.0000
P	$E=$	2.4129	$p_x=$	0.0000	$p_y=$	2.2231	$p_z=$	0.0000
ℓ'	$E=$	1.6033	$p_x=$	0.8819	$p_y=$	-1.3348	$p_z=$	0.0000
P'	$E=$	2.0352	$p_x=$	0.0000	$p_y=$	1.8062	$p_z=$	0.0000
q_γ	$E=$	1.0000	$p_x=$	-0.8819	$p_y=$	-0.4714	$p_z=$	0.0000


Transverse plane



$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
muon L, proton $h=+1$


$h_e=+1$, $h_p=+1$, $h_\gamma=-1$
muon L, proton $h=-1$

Leading initial-ensemble/final-state components (N=2, retained=96.2%)



L muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_l_electron_region_2 $C_{\{p\}\gamma}=0.132246$
 region: mid_Egamma_L_electron_region_2 final-pair delta_xy=1.47262 rad
 outgoing-state purity: 0.534297
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p} \rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.49047$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=0.0981748$
 $Q^2=1.27192$, $x_B=0.282533$, $t=-0.111878$, $W^2=4.10978$, $y=0.218274$
 $\theta(l', \gamma)=127.692$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 1.8775$ $p_x= -0.9952$ $p_y= -1.5885$ $p_z= 0.0000$
 P' $E= 1.7611$ $p_x= 0.0000$ $p_y= 1.4905$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.9952$ $p_y= 0.0980$ $p_z= 0.0000$

Transverse plane



$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
 muon L, proton h=+1

$h_e=+1$, $h_p=+1$, $h_\gamma=-1$
 muon L, proton h=-1

Leading initial-ensemble/final-state components (N=2, retained=98.6%)

