



high_Egamma L proton: max $C_{p\gamma}$ regions



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_l_proton_region_0 $C_{\{p\gamma\}}=0.437067$
 region: high_Egamma_L_proton_region_0 final-pair delta_xy=3.04342 rad
 outgoing-state purity: 0.554605
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.19415$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1.8$, $\phi_\gamma=4.81056$
 $Q^2=0.199845$, $x_B=0.0120018$, $t=-0.000128163$, $W^2=17.3312$, $y=0.807338$
 $\theta(l', \gamma)=29.278$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 0.4523$ $p_x= -0.1764$ $p_y= -0.4028$ $p_z= 0.0000$
 P' $E= 2.3862$ $p_x= 0.0000$ $p_y= 2.1942$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=94.3%)



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_l_proton_region_1 C_{p\gamma}=0.206752
 region: high_Egamma_L_proton_region_1 final-pair delta_xy=2.35619 rad
 outgoing-state purity: 0.587059
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu} \rho(h_\mu, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.24788$
 $\theta_{in}=1.57079$, $\phi_l=3.53429$, $\phi_p=0.392699$
 $E_\gamma=1.8$, $\phi_\gamma=5.49779$
 $Q^2=0.477793$, $x_B=0.0515177$, $t=-3.65062$, $W^2=9.6764$, $y=0.449669$
 $\theta(l', \gamma)=136.121$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -2.0539$ $p_y= -0.8507$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 2.0539$ $p_y= 0.8507$ $p_z= 0.0000$
 l' $E= 1.2774$ $p_x= -1.2728$ $p_y= 0.0249$ $p_z= 0.0000$
 P' $E= 1.5611$ $p_x= 0.0000$ $p_y= 1.2479$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.2728$ $p_y= -1.2728$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=98.7%)



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_l_proton_region_2 $C_{\{p\gamma\}}=0.206752$
 region: high_Egamma_L_proton_region_2 final-pair delta_xy=2.35619 rad
 outgoing-state purity: 0.587059
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.24788$
 $\theta_{in}=1.57079$, $\phi_l=5.89049$, $\phi_p=2.74889$
 $E_\gamma=1.8$, $\phi_\gamma=3.92699$
 $Q^2=0.477793$, $x_B=0.0515177$, $t=-3.65062$, $W^2=9.6764$, $y=0.449669$
 $\theta(l', \gamma)=136.121$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 2.0539$ $p_y= -0.8507$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -2.0539$ $p_y= 0.8507$ $p_z= 0.0000$
 l' $E= 1.2774$ $p_x= 1.2728$ $p_y= 0.0249$ $p_z= 0.0000$
 P' $E= 1.5611$ $p_x= 0.0000$ $p_y= 1.2479$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.2728$ $p_y= -1.2728$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=6, retained=98.7%)

