



low_Egamma L proton: max $C_{p\gamma}$ regions



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_proton_region_0 $C_{\{p\gamma\}}=0.606369$
 region: low_Egamma_L_proton_region_0 final-pair delta_xy=2.74889 rad
 outgoing-state purity: 0.501941
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, L_\rho)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.21185$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=4.31969$
 $Q^2=0.0104116$, $x_B=0.00466175$, $t=-1.92644e-05$, $W^2=3.10284$, $y=0.108287$
 $\theta(\ell', \gamma)=25.2651$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 ℓ' $E= 1.9860$ $p_x= 0.0957$ $p_y= -1.9809$ $p_z= 0.0000$
 P' $E= 2.4025$ $p_x= 0.0000$ $p_y= 2.2118$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0957$ $p_y= -0.2310$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.4%)



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_proton_region_1 $C_{\{p\}\gamma}=0.282633$
 region: low_Egamma_L_proton_region_1 final-pair delta_xy=2.15984 rad
 outgoing-state purity: 0.503677
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu} \rho(h_\mu, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.15954$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=5.69414$
 $Q^2=0.0475038$, $x_B=0.0260349$, $t=-0.000625857$, $W^2=2.65696$, $y=0.0884672$
 $\theta(\ell', \gamma)=62.1234$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E=$	2.2256	$p_x=$	-0.0000	$p_y=$	-2.2231	$p_z=$	-0.0000
P	$E=$	2.4129	$p_x=$	0.0000	$p_y=$	2.2231	$p_z=$	0.0000
ℓ'	$E=$	2.0341	$p_x=$	-0.2079	$p_y=$	-2.0207	$p_z=$	0.0000
P'	$E=$	2.3545	$p_x=$	0.0000	$p_y=$	2.1595	$p_z=$	0.0000
q_γ	$E=$	0.2500	$p_x=$	0.2079	$p_y=$	-0.1389	$p_z=$	0.0000

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.9%)



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_proton_region_2 $C_{\{p\gamma\}}=0.126146$
 region: low_Egamma_L_proton_region_2 final-pair delta_xy=1.37445 rad
 outgoing-state purity: 0.501189
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, L_\rho)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.05969$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=2.94524$
 $Q^2=0.0632013$, $x_B=0.0635893$, $t=-0.00430381$, $W^2=1.81054$, $y=0.0481894$
 $\theta(\ell', \gamma)=107.883$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 ℓ' $E= 2.1253$ $p_x= 0.2452$ $p_y= -2.1085$ $p_z= 0.0000$
 P' $E= 2.2632$ $p_x= 0.0000$ $p_y= 2.0597$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2452$ $p_y= 0.0488$ $p_z= 0.0000$


Transverse plane



$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
 muon $h=+1$, proton L


$h_e=-1$, $h_p=-1$, $h_\gamma=+1$
 muon $h=-1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=98.5%)



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_proton_region_3 C_{p\gamma}=0.0828358
 region: low_Egamma_L_proton_region_3 final-pair delta_xy=0.294524 rad
 outgoing-state purity: 0.504009
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.96666$
 $\theta_{in}=1.57079$, $\phi_l=4.22152$, $\phi_P=1.07992$
 $E_\gamma=0.25$, $\phi_\gamma=1.27627$
 $Q^2=1.01131$, $x_B=0.871991$, $t=-1.04352$, $W^2=1.0283$, $y=0.0562317$
 $\theta(l', \gamma)=165.009$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -1.0480$ $p_y= -1.9606$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 1.0480$ $p_y= 1.9606$ $p_z= 0.0000$
 l' $E= 2.2096$ $p_x= -0.0726$ $p_y= -2.2059$ $p_z= 0.0000$
 P' $E= 2.1789$ $p_x= 0.0000$ $p_y= 1.9667$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0726$ $p_y= 0.2392$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)

