



mid_Egamma L proton: max $C_{p\gamma}$ regions



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_l_proton_region_0 C_{p\gamma}=0.575049
 region: mid_Egamma_L_proton_region_0 final-pair delta_xy=2.84707 rad
 outgoing-state purity: 0.55269
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, L_\rho)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.18202$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=4.41786$
 $Q^2=0.154517$, $x_B=0.0170157$, $t=-0.000259242$, $W^2=9.80615$, $y=0.440286$
 $\theta(l', \gamma)=30.2055$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 1.2634$ $p_x= 0.2903$ $p_y= -1.2251$ $p_z= 0.0000$
 P' $E= 2.3751$ $p_x= 0.0000$ $p_y= 2.1820$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.2903$ $p_y= -0.9569$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=-1, h_\gamma=+1$
 muon $h=+1$, proton L

$h_e=-1, h_p=+1, h_\gamma=+1$
 muon $h=-1$, proton L

$h_e=+1, h_p=+1, h_\gamma=-1$
 muon $h=+1$, proton L


$h_e=-1, h_p=-1, h_\gamma=+1$
 muon $h=-1$, proton L

Leading initial-ensemble/final-state components (N=4, retained=96.2%)



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_l_proton_region_1 C_{p\gamma}=0.313894
 region: mid_Egamma_L_proton_region_1 final-pair delta_xy=1.5708 rad
 outgoing-state purity: 0.528962
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu} \rho(h_\mu, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.5377$
 $\theta_{in}=1.57079$, $\phi_l=4.81056$, $\phi_p=1.66897$
 $E_\gamma=1$, $\phi_\gamma=0$
 $Q^2=1.78773$, $x_B=0.331665$, $t=-0.128553$, $W^2=4.48227$, $y=0.261343$
 $\theta(l', \gamma)=123.037$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 0.2179$ $p_y= -2.2124$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -0.2179$ $p_y= 2.2124$ $p_z= 0.0000$
 l' $E= 1.8373$ $p_x= -1.0000$ $p_y= -1.5377$ $p_z= 0.0000$
 P' $E= 1.8012$ $p_x= 0.0000$ $p_y= 1.5377$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 1.0000$ $p_y= 0.0000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=99.5%)



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_l_proton_region_2 $C_{\{p\}\gamma}=0.309219$
 region: mid_Egamma_L_proton_region_2 final-pair delta_xy=1.47262 rad
 outgoing-state purity: 0.526181
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu} \rho(h_\mu, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.49047$
 $\theta_{in}=1.57079$, $\phi_l=4.61421$, $\phi_p=1.47262$
 $E_V=1$, $\phi_\gamma=3.04342$
 $Q^2=1.73964$, $x_B=0.350058$, $t=-0.143789$, $W^2=4.10978$, $y=0.240951$
 $\theta(l', \gamma)=127.692$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.2179$ $p_y= -2.2124$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.2179$ $p_y= 2.2124$ $p_z= 0.0000$
 l' $E= 1.8775$ $p_x= 0.9952$ $p_y= -1.5885$ $p_z= 0.0000$
 P' $E= 1.7611$ $p_x= 0.0000$ $p_y= 1.4905$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.9952$ $p_y= 0.0980$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=6, retained=99.6%)

