



high_Egamma L muon + Tx proton: max P_W regions



L muon + Tx proton characteristic max P_W configuration

3D momenta




w_purity_high_egamma_ltx_region_0 P_W=0.333775
region: high_Egamma_LTx_region_0
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $|L_\mu\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=0.0929745$
 $\theta_{in}=1.57079$, $\phi_l=1.5708$, $\phi_p=4.71239$
 $E_Y=1.8$, $\phi_Y=1.5708$
 $Q^2=16.8335$, $x_B=0.846238$, $t=-3.20247$, $W^2=3.93848$, $y=0.964473$
 $\theta(l', \gamma)=180$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2256$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= 0.0000$
 l' $E= 1.8959$ $p_x= -0.0000$ $p_y= -1.8930$ $p_z= 0.0000$
 P' $E= 0.9426$ $p_x= 0.0000$ $p_y= 0.0930$ $p_z= 0.0000$
 q_Y $E= 1.8000$ $p_x= 0.0000$ $p_y= 1.8000$ $p_z= 0.0000$

Transverse plane




$h_e=-1$, $h_p=-1$, $h_Y=+1$
muon L, proton Tx

Leading initial-ensemble/final-state components (N=1, retained=100.0%)



L muon + Tx proton characteristic max P_W configuration

3D momenta




w_purity_high_egamma_ltx_region_1 P_W=0.319609
 region: high_Egamma_LTx_region_1
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_\mu\rangle \otimes |T_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.73356$
 $\theta_{in}=1.57079$, $\phi_l=5.20326$, $\phi_p=2.06167$
 $E_V=1.8$, $\phi_V=5.20326$
 $Q^2=5.04448$, $x_B=0.2859$, $t=-0.954567$, $W^2=13.4796$, $y=0.855483$
 $\theta(l', \gamma)=108.355$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 1.0480$ $p_y= -1.9606$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -1.0480$ $p_y= 1.9606$ $p_z= 0.0000$
 l' $E= 0.8675$ $p_x= -0.8485$ $p_y= -0.1461$ $p_z= 0.0000$
 P' $E= 1.9711$ $p_x= 0.0000$ $p_y= 1.7336$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.8485$ $p_y= -1.5875$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=99.6%)



L muon + Tx proton characteristic max P_W configuration

3D momenta




w_purity_high_egamma_ltx_region_2 P_W=0.281097
 region: high_Egamma_LTx_region_2
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_\mu\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=0.147625$
 $\theta_{in}=1.57079$, $\phi_l=2.55254$, $\phi_p=5.69414$
 $E_\gamma=1.8$, $\phi_\gamma=2.55254$
 $Q^2=16.7538$, $x_B=0.842878$, $t=-3.18728$, $W^2=4.00295$, $y=0.963737$
 $\theta(l', \gamma)=176.268$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -1.8484$ $p_y= 1.2351$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 1.8484$ $p_y= -1.2351$ $p_z= 0.0000$
 l' $E= 1.8890$ $p_x= 1.4966$ $p_y= -1.1477$ $p_z= 0.0000$
 P' $E= 0.9495$ $p_x= 0.0000$ $p_y= 0.1476$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.4966$ $p_y= 1.0000$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 muon L, proton Tx


$h_e=-1, h_p=+1, h_\gamma=+1$
 muon L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L muon + Tx proton characteristic max P_W configuration

3D momenta




w_purity_high_egamma_ltx_region_3 P_W=0.280139
 region: high_Egamma_LTx_region_3
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_\mu\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=0.147625$
 $\theta_{in}=1.57079$, $\phi_l=0.589049$, $\phi_p=3.73064$
 $E_\gamma=1.8$, $\phi_\gamma=0.589049$
 $Q^2=16.7538$, $x_B=0.842878$, $t=-3.18728$, $W^2=4.00295$, $y=0.963737$
 $\theta(\ell', \gamma)=176.268$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2256$ $p_x= 1.8484$ $p_y= 1.2351$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -1.8484$ $p_y= -1.2351$ $p_z= 0.0000$
 ℓ' $E= 1.8890$ $p_x= -1.4966$ $p_y= -1.1477$ $p_z= 0.0000$
 P' $E= 0.9495$ $p_x= 0.0000$ $p_y= 0.1476$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.4966$ $p_y= 1.0000$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 muon L, proton Tx

$h_e=-1, h_p=+1, h_\gamma=+1$
 muon L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

