



low_Egamma L muon + Tx proton: max $C_{\mu p}$ regions



L muon + Tx proton characteristic max $C_{\mu p}$ configuration

3D momenta




c_ep_low_egamma_ltx_region_0 $C_{\mu p}=0.242306$
 region: low_Egamma_LTx_region_0 final-pair delta_xy=3.02215 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_\mu\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.09765$
 $\theta_{in}=1.57079$, $\phi_l=3.23977$, $\phi_p=0.0981748$
 $E_\gamma=0.25$, $\phi_\gamma=3.23977$
 $Q^2=9.48125$, $x_B=0.883377$, $t=-8.41496$, $W^2=2.13156$, $y=0.52039$
 $\theta(l', \gamma)=91.2183$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -2.2124$ $p_y= -0.2179$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 2.2124$ $p_y= 0.2179$ $p_z= 0.0000$
 l' $E= 2.0907$ $p_x= 0.2488$ $p_y= -2.0731$ $p_z= 0.0000$
 P' $E= 2.2978$ $p_x= 0.0000$ $p_y= 2.0977$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2488$ $p_y= -0.0245$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=98.1%)



L muon + Tx proton characteristic max $C_{\mu p}$ configuration

3D momenta




c_ep_low_egamma_ltx_region_1 $C_{\mu p}=0.241329$
 region: low_Egamma_LTx_region_1 final-pair delta_xy=3.02348 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_\mu\rangle \otimes |T_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.07212$
 $\theta_{in}=1.57079$, $\phi_l=0.0981748$, $\phi_p=3.23977$
 $E_\gamma=0.25$, $\phi_\gamma=0.0981748$
 $Q^2=11.4021$, $x_B=0.916728$, $t=-10.1198$, $W^2=1.91556$, $y=0.60305$
 $\theta(l', \gamma)=102.392$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 2.2124$ $p_y= 0.2179$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -2.2124$ $p_y= -0.2179$ $p_z= 0.0000$
 l' $E= 2.1140$ $p_x= -0.2488$ $p_y= -2.0966$ $p_z= 0.0000$
 P' $E= 2.2745$ $p_x= 0.0000$ $p_y= 2.0721$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2488$ $p_y= 0.0245$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.0%)



L muon + Tx proton characteristic max $C_{\mu p}$ configuration

3D momenta




c_ep_low_egamma_ltx_region_2 C_{\mu p}=0.16199
 region: low_Egamma_LTx_region_2 final-pair delta_xy=3.09333 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_\mu\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.21185$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=5.10509$
 $Q^2=0.0104116$, $x_B=0.00466175$, $t=-1.92644e-05$, $W^2=3.10284$, $y=0.108287$
 $\theta(l', \gamma)=25.2651$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 1.9860$ $p_x= -0.0957$ $p_y= -1.9809$ $p_z= 0.0000$
 P' $E= 2.4025$ $p_x= 0.0000$ $p_y= 2.2118$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0957$ $p_y= -0.2310$ $p_z= 0.0000$


Transverse plane



$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
 muon L, proton Tx


$h_e=+1$, $h_p=-1$, $h_\gamma=-1$
 muon L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=95.6%)



L muon + Tx proton characteristic max $C_{\mu p}$ configuration

3D momenta




c_ep_low_egamma_ltx_region_3 $C_{\mu p}=0.116347$
 region: low_Egamma_LTx_region_3 final-pair delta_xy=3.06902 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_\mu\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.98841$
 $\theta_{in}=1.57079$, $\phi_l=2.25802$, $\phi_p=5.39961$
 $E_\gamma=0.25$, $\phi_\gamma=2.25802$
 $Q^2=17.6714$, $x_B=0.981628$, $t=-15.6842$, $W^2=1.21059$, $y=0.872839$
 $\theta(l', \gamma)=144.783$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -1.4103$ $p_y= 1.7185$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 1.4103$ $p_y= -1.7185$ $p_z= 0.0000$
 l' $E= 2.1900$ $p_x= 0.1586$ $p_y= -2.1817$ $p_z= 0.0000$
 P' $E= 2.1985$ $p_x= 0.0000$ $p_y= 1.9884$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1586$ $p_y= 0.1933$ $p_z= 0.0000$

Transverse plane



$h_e=-1$, $h_p=-1$, $h_\gamma=+1$
 muon L, proton Tx

Leading initial-ensemble/final-state components (N=1, retained=99.0%)

