



mid_Egamma L muon + Tx proton: max $C_{p\gamma}$ regions



L muon + Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_ltx_region_0 C_{p\gamma}=0.99965
 region: mid_Egamma LTx_region_0 final-pair delta_xy=0.19635 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_\mu\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.15688$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=1.76715$
 $Q^2=0.0395132$, $x_B=0.0527584$, $t=-0.283943$, $W^2=1.58928$, $y=0.0363128$
 $\theta(l', \gamma)=173.965$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 2.1491$ $p_x= 0.1951$ $p_y= -2.1377$ $p_z= 0.0000$
 P' $E= 1.4894$ $p_x= 0.0000$ $p_y= 1.1569$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.1951$ $p_y= 0.9808$ $p_z= 0.0000$


Transverse plane



$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
 muon L, proton Tx


$h_e=+1$, $h_p=+1$, $h_\gamma=-1$
 muon L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L muon + Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_ltx_region_1 $C_{\{p\gamma\}}=0.984026$
 region: mid_Egamma_LTx_region_1 final-pair delta_xy=1.5708 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_\mu\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.5377$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=3.14159$
 $Q^2=1.319$, $x_B=0.268011$, $t=-0.0956311$, $W^2=4.48227$, $y=0.238616$
 $\theta(l', \gamma)=123.037$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 1.8373$ $p_x= 1.0000$ $p_y= -1.5377$ $p_z= 0.0000$
 P' $E= 1.8012$ $p_x= 0.0000$ $p_y= 1.5377$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -1.0000$ $p_y= 0.0000$ $p_z= 0.0000$


Transverse plane



$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
 muon L, proton Tx


$h_e=+1$, $h_p=+1$, $h_\gamma=-1$
 muon L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.3%)



L muon + Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_ltx_region_2 C_{p\gamma}=0.971487
 region: mid_Egamma_LTx_region_2 final-pair delta_xy=1.1781 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_\mu\rangle \otimes |\bar{T}_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.36654$
 $\theta_{in}=1.57079$, $\phi_l=4.61421$, $\phi_p=1.47262$
 $E_V=1$, $\phi_\gamma=0.392699$
 $Q^2=0.653122$, $x_B=0.223504$, $t=-0.192337$, $W^2=3.14892$, $y=0.141683$
 $\theta(l', \gamma)=140.342$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.2179$ $p_y= -2.2124$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.2179$ $p_y= 2.2124$ $p_z= 0.0000$
 l' $E= 1.9810$ $p_x= -0.9239$ $p_y= -1.7492$ $p_z= 0.0000$
 P' $E= 1.6575$ $p_x= 0.0000$ $p_y= 1.3665$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.9239$ $p_y= 0.3827$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=100.0%)

