



low_Egamma Tx muon: max $C_{\mu\gamma}$ regions



Tx muon characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_tx_electron_region_0 $C_{\mu\gamma}=0.887078$
 region: low_Egamma_Tx_electron_region_0 final-pair delta_xy=0 rad
 outgoing-state purity: 0.500055
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\mu}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.22295$
 $\theta_{in}=1.57079$, $\phi_l=5.79231$, $\phi_p=2.65072$
 $E_\gamma=0.25$, $\phi_\gamma=4.71239$
 $Q^2=4.63715$, $x_B=0.666737$, $t=-5.22456$, $W^2=3.19769$, $y=0.337215$
 $\theta(l', \gamma)=0$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l	$E=$	2.2256	$p_x=$	1.9606	$p_y=$	-1.0480	$p_z=$	-0.0000
P	$E=$	2.4129	$p_x=$	-1.9606	$p_y=$	1.0480	$p_z=$	0.0000
l'	$E=$	1.9758	$p_x=$	0.0000	$p_y=$	-1.9729	$p_z=$	0.0000
P'	$E=$	2.4127	$p_x=$	0.0000	$p_y=$	2.2229	$p_z=$	0.0000
q_γ	$E=$	0.2500	$p_x=$	-0.0000	$p_y=$	-0.2500	$p_z=$	0.0000

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=89.8%)



Tx muon characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_tx_electron_region_1 C_{\mu\gamma}=0.887078
 region: low_Egamma_Tx_electron_region_1 final-pair delta_xy=0 rad
 outgoing-state purity: 0.500055
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\mu}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.22295$
 $\theta_{in}=1.57079$, $\phi_l=3.63247$, $\phi_p=0.490874$
 $E_V=0.25$, $\phi_V=4.71239$
 $Q^2=4.63715$, $x_B=0.666737$, $t=-5.22456$, $W^2=3.19769$, $y=0.337215$
 $\theta(l', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:


l $E= 2.2256$ $p_x= -1.9606$ $p_y= -1.0480$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 1.9606$ $p_y= 1.0480$ $p_z= 0.0000$
 l' $E= 1.9758$ $p_x= 0.0000$ $p_y= -1.9729$ $p_z= 0.0000$
 P' $E= 2.4127$ $p_x= 0.0000$ $p_y= 2.2229$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0000$ $p_y= -0.2500$ $p_z= 0.0000$

Transverse plane




$h_e=-1, h_p=+1, h_\gamma=+1$
 muon Tx, proton h=+1
 $h_e=+1, h_p=-1, h_\gamma=-1$
 muon Tx, proton h=-1
 $h_e=-1, h_p=-1, h_\gamma=+1$
 muon Tx, proton h=-1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 muon Tx, proton h=+1
 $h_e=-1, h_p=-1, h_\gamma=+1$
 muon Tx, proton h=+1
 $h_e=-1, h_p=+1, h_\gamma=+1$
 muon Tx, proton h=-1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 muon Tx, proton h=-1
 $h_e=+1, h_p=-1, h_\gamma=-1$
 muon Tx, proton h=+1

Leading initial-ensemble/final-state components (N=8, retained=89.8%)



Tx muon characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_tx_electron_region_2 $C_{\mu\gamma}=0.816232$
 region: low_Egamma_Tx_electron_region_2 final-pair delta_xy=1.49282 rad
 outgoing-state purity: 0.501051
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\mu},h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.11051$
 $\theta_{in}=1.57079$, $\phi_l=3.33794$, $\phi_P=0.19635$
 $E_V=0.25$, $\phi_V=3.33794$
 $Q^2=8.51246$, $x_B=0.862186$, $t=-7.55511$, $W^2=2.2405$, $y=0.4787$
 $\theta(l',\gamma)=85.5322$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -2.1804$ $p_y= -0.4337$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 2.1804$ $p_y= 0.4337$ $p_z= 0.0000$
 l' $E= 2.0790$ $p_x= 0.2452$ $p_y= -2.0617$ $p_z= 0.0000$
 P' $E= 2.3096$ $p_x= 0.0000$ $p_y= 2.1105$ $p_z= 0.0000$
 q_V $E= 0.2500$ $p_x= -0.2452$ $p_y= -0.0488$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=94.4%)



Tx muon characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_tx_electron_region_3 $C_{\mu\gamma}=0.816232$
 region: low_Egamma_Tx_electron_region_3 final-pair delta_xy=1.49282 rad
 outgoing-state purity: 0.501051
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\mu},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.11051$
 $\theta_{in}=1.57079$, $\phi_l=6.08684$, $\phi_P=2.94524$
 $E_V=0.25$, $\phi_V=6.08684$
 $Q^2=8.51246$, $x_B=0.862186$, $t=-7.55511$, $W^2=2.2405$, $y=0.4787$
 $\theta(l',\gamma)=85.5322$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 2.1804$ $p_y= -0.4337$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -2.1804$ $p_y= 0.4337$ $p_z= 0.0000$
 l' $E= 2.0790$ $p_x= -0.2452$ $p_y= -2.0617$ $p_z= 0.0000$
 P' $E= 2.3096$ $p_x= 0.0000$ $p_y= 2.1105$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2452$ $p_y= -0.0488$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=94.4%)

