



low_Egamma Tx muon: max $C_{p\gamma}$ regions



Tx muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_electron_region_0 C_{p\gamma}=0.00985045
 region: low_Egamma_Tx_electron_region_0 final-pair delta_xy=2.55254 rad
 outgoing-state purity: 0.501494
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\mu}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.19851$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_V=0.25$, $\phi_V=5.30144$
 $Q^2=0.0216479$, $x_B=0.0101597$, $t=-9.23675e-05$, $W^2=2.98896$, $y=0.103311$
 $\theta(l', \gamma)=37.7412$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 1.9983$ $p_x= -0.1389$ $p_y= -1.9906$ $p_z= 0.0000$
 P' $E= 2.3902$ $p_x= 0.0000$ $p_y= 2.1985$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1389$ $p_y= -0.2079$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=99.7%)



Tx muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_electron_region_1 $C_{p\gamma}=0.00716438$
 region: low_Egamma_Tx_electron_region_1 final-pair delta_xy=2.35619 rad
 outgoing-state purity: 0.500558
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\mu}, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.18078$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=3.92699$
 $Q^2=0.0347107$, $x_B=0.0174188$, $t=-0.000275195$, $W^2=2.83785$, $y=0.0966171$
 $\theta(l', \gamma)=50.0411$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 2.0146$ $p_x= 0.1768$ $p_y= -2.0040$ $p_z= 0.0000$
 P' $E= 2.3740$ $p_x= 0.0000$ $p_y= 2.1808$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1768$ $p_y= -0.1768$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=99.9%)



Tx muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_electron_region_2 C_{p\gamma}=0.000667422
 region: low_Egamma_Tx_electron_region_2 final-pair delta_xy=1.1781 rad
 outgoing-state purity: 0.500005
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\mu}, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.03605$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_V=0.25$, $\phi_V=0.392699$
 $Q^2=0.0554865$, $x_B=0.0705246$, $t=-0.00569365$, $W^2=1.61113$, $y=0.0381466$
 $\theta(l', \gamma)=118.684$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 2.1468$ $p_x= -0.2310$ $p_y= -2.1317$ $p_z= 0.0000$
 P' $E= 2.2417$ $p_x= 0.0000$ $p_y= 2.0360$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2310$ $p_y= 0.0957$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.0%)



Tx muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_electron_region_3 C_{p\gamma}=0.000425526
 region: low_Egamma_Tx_electron_region_3 final-pair delta_xy=0.981748 rad
 outgoing-state purity: 0.500002
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\mu},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.01469$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=2.55254$
 $Q^2=0.0445086$, $x_B=0.0746751$, $t=-0.00712984$, $W^2=1.43137$, $y=0.0288987$
 $\theta(l',\gamma)=129.263$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 2.1662$ $p_x= 0.2079$ $p_y= -2.1536$ $p_z= 0.0000$
 P' $E= 2.2223$ $p_x= 0.0000$ $p_y= 2.0147$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2079$ $p_y= 0.1389$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
 muon Tx, proton h=+1

$h_e=-1, h_p=+1, h_\gamma=-1$
 muon Tx, proton h=-1

$h_e=+1, h_p=+1, h_\gamma=-1$
 muon Tx, proton h=-1

$h_e=-1, h_p=-1, h_\gamma=+1$
 muon Tx, proton h=+1

Leading initial-ensemble/final-state components (N=4, retained=99.4%)

