



mid\_Egamma Tx muon: max  $P_W$  regions



# Tx muon characteristic max $P_W$ configuration

3D momenta




w\_purity\_mid\_egamma\_tx\_electron\_region\_0 P\_W=0.323298  
 region: mid\_Egamma\_Tx\_electron\_region\_0  
 outgoing-state purity: 0.500688  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2} \sum_{h_p} \rho(T_{x,\mu}, h_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=2.0724$   
 $\theta_{in}=1.57079$ ,  $\phi_l=5.30144$ ,  $\phi_P=2.15984$   
 $E_\gamma=1$ ,  $\phi_\gamma=5.30144$   
 $Q^2=2.83269$ ,  $x_B=0.261594$ ,  $t=-1.55654$ ,  $W^2=8.87572$ ,  $y=0.525025$   
 $\theta(l', \gamma)=57.8682$  deg


four-momenta  $[E, p_x, p_y, p_z]$  GeV:

$l$   $E= 2.2256$   $p_x= 1.2351$   $p_y= -1.8484$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= -1.2351$   $p_y= 1.8484$   $p_z= 0.0000$   
 $l'$   $E= 1.3637$   $p_x= -0.5556$   $p_y= -1.2409$   $p_z= 0.0000$   
 $P'$   $E= 2.2748$   $p_x= 0.0000$   $p_y= 2.0724$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= 0.5556$   $p_y= -0.8315$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=97.4%)



# Tx muon characteristic max $P_W$ configuration

3D momenta




w\_purity\_mid\_egamma\_tx\_electron\_region\_1 P\_W=0.312362  
 region: mid\_Egamma\_Tx\_electron\_region\_1  
 outgoing-state purity: 0.500688  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2} \sum_{h_p} \rho(T_{x,\mu}, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=2.0724$   
 $\theta_{in}=1.57079$ ,  $\phi_t=4.12334$ ,  $\phi_P=0.981748$   
 $E_\gamma=1$ ,  $\phi_\gamma=4.12334$   
 $Q^2=2.83269$ ,  $x_B=0.261594$ ,  $t=-1.55654$ ,  $W^2=8.87572$ ,  $y=0.525025$   
 $\theta(l', \gamma)=57.8682$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2256$   $p_x= -1.2351$   $p_y= -1.8484$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= 1.2351$   $p_y= 1.8484$   $p_z= 0.0000$   
 $l'$   $E= 1.3637$   $p_x= 0.5556$   $p_y= -1.2409$   $p_z= 0.0000$   
 $P'$   $E= 2.2748$   $p_x= 0.0000$   $p_y= 2.0724$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= -0.5556$   $p_y= -0.8315$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=97.4%)



# Tx muon characteristic max $P_W$ configuration

3D momenta




w\_purity\_mid\_egamma\_tx\_electron\_region\_2 P\_W=0.21551  
 region: mid\_Egamma Tx\_electron\_region\_2  
 outgoing-state purity: 0.5  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2} \sum_{h_p} \rho(T_{x,\mu}, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=1.5377$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_P=3.14159$   
 $E_\gamma=1$ ,  $\phi_\gamma=0$   
 $Q^2=12.6022$ ,  $x_B=0.777691$ ,  $t=-6.93259$ ,  $W^2=4.48227$ ,  $y=0.785684$   
 $\theta(l', \gamma)=123.037$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2256$   $p_x= 2.2231$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= -2.2231$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 1.8373$   $p_x= -1.0000$   $p_y= -1.5377$   $p_z= 0.0000$   
 $P'$   $E= 1.8012$   $p_x= 0.0000$   $p_y= 1.5377$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= 1.0000$   $p_y= 0.0000$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=96.0%)



# Tx muon characteristic max $P_W$ configuration

3D momenta




w\_purity\_mid\_egamma\_tx\_electron\_region\_3 P\_W=0.215479  
 region: mid\_Egamma Tx\_electron\_region\_3  
 outgoing-state purity: 0.5  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2} \sum_{h_p} \rho(T_{x,\mu}, h_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=1.5377$   
 $\theta_{in}=1.57079$ ,  $\phi_l=3.14159$ ,  $\phi_p=0$   
 $E_\gamma=1$ ,  $\phi_\gamma=3.14159$   
 $Q^2=12.6022$ ,  $x_B=0.777691$ ,  $t=-6.93259$ ,  $W^2=4.48227$ ,  $y=0.785684$   
 $\theta(l', \gamma)=123.037$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2256$   $p_x= -2.2231$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= 2.2231$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 1.8373$   $p_x= 1.0000$   $p_y= -1.5377$   $p_z= 0.0000$   
 $P'$   $E= 1.8012$   $p_x= 0.0000$   $p_y= 1.5377$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= -1.0000$   $p_y= 0.0000$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=6, retained=96.0%)

