



high_Egamma Tx proton: max $C_{\mu\gamma}$ regions



Tx proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_tx_proton_region_0 $C_{\mu\gamma}=0.0647087$
 region: high_Egamma_Tx_proton_region_0 final-pair delta_xy=0.510997 rad
 outgoing-state purity: 0.512094
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.19415$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1.8$, $\phi_\gamma=4.61421$
 $Q^2=0.199845$, $x_B=0.0120018$, $t=-0.000128163$, $W^2=17.3312$, $y=0.807338$
 $\theta(l', \gamma)=29.278$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 0.4523$ $p_x= 0.1764$ $p_y= -0.4028$ $p_z= 0.0000$
 P' $E= 2.3862$ $p_x= 0.0000$ $p_y= 2.1942$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=96.0%)



Tx proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_tx_proton_region_1 $C_{\mu\gamma}=0.0170061$
 region: high_EgammaTx_proton_region_1 final-pair delta_xy=0.510997 rad
 outgoing-state purity: 0.507524
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.19415$
 $\theta_{in}=1.57079$, $\phi_l=2.35619$, $\phi_p=5.49779$
 $E_\gamma=1.8$, $\phi_\gamma=4.61421$
 $Q^2=3.812$, $x_B=0.188123$, $t=-16.6541$, $W^2=17.3312$, $y=0.982474$
 $\theta(l', \gamma)=29.278$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -1.5720$ $p_y= 1.5720$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 1.5720$ $p_y= -1.5720$ $p_z= 0.0000$
 l' $E= 0.4523$ $p_x= 0.1764$ $p_y= -0.4028$ $p_z= 0.0000$
 P' $E= 2.3862$ $p_x= 0.0000$ $p_y= 2.1942$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=94.4%)



Tx proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_tx_proton_region_2 C_{\mu\gamma}=0.0170061
 region: high_EgammaTx_proton_region_2 final-pair delta_xy=0.510997 rad
 outgoing-state purity: 0.507524
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.19415$
 $\theta_{in}=1.57079$, $\phi_l=0.785398$, $\phi_p=3.92699$
 $E_\gamma=1.8$, $\phi_\gamma=4.81056$
 $Q^2=3.812$, $x_B=0.188123$, $t=-16.6541$, $W^2=17.3312$, $y=0.982474$
 $\theta(l', \gamma)=29.278$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 1.5720$ $p_y= 1.5720$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -1.5720$ $p_y= -1.5720$ $p_z= 0.0000$
 l' $E= 0.4523$ $p_x= -0.1764$ $p_y= -0.4028$ $p_z= 0.0000$
 P' $E= 2.3862$ $p_x= 0.0000$ $p_y= 2.1942$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=94.4%)

