



mid_Egamma Tx proton: max $C_{\mu\gamma}$ regions



Tx proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_tx_proton_region_0 $C_{\mu\gamma}=0.0922417$
 region: mid_Egamma_Tx_proton_region_0 final-pair delta_xy=0.527185 rad
 outgoing-state purity: 0.539408
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu} \rho(h_\mu, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.18202$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=5.00691$
 $Q^2=0.154517$, $x_B=0.0170157$, $t=-0.000259242$, $W^2=9.80615$, $y=0.440286$
 $\theta(l', \gamma)=30.2055$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 1.2634$ $p_x= -0.2903$ $p_y= -1.2251$ $p_z= 0.0000$
 P' $E= 2.3751$ $p_x= 0.0000$ $p_y= 2.1820$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.2903$ $p_y= -0.9569$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=96.3%)



Tx proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_tx_proton_region_1 $C_{\mu\gamma}=0.0223849$
 region: mid_Egamma_Tx_proton_region_1 final-pair delta_xy=0.178193 rad
 outgoing-state purity: 0.507596
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.2175$
 $\theta_{in}=1.57079$, $\phi_l=0.785398$, $\phi_p=3.92699$
 $E_\gamma=1$, $\phi_\gamma=4.81056$
 $Q^2=9.60728$, $x_B=0.510038$, $t=-16.8313$, $W^2=10.109$, $y=0.913287$
 $\theta(l', \gamma)=10.2097$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 1.5720$ $p_y= 1.5720$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -1.5720$ $p_y= -1.5720$ $p_z= 0.0000$
 l' $E= 1.2308$ $p_x= -0.0980$ $p_y= -1.2223$ $p_z= 0.0000$
 P' $E= 2.4077$ $p_x= 0.0000$ $p_y= 2.2175$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.0980$ $p_y= -0.9952$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=94.5%)



Tx proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_tx_proton_region_2 $C_{\mu\gamma}=0.0223849$
 region: mid_Egamma_Tx_proton_region_2 final-pair delta_xy=0.178193 rad
 outgoing-state purity: 0.507596
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu} \rho(h_\mu, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.2175$
 $\theta_{in}=1.57079$, $\phi_l=2.35619$, $\phi_P=5.49779$
 $E_\gamma=1$, $\phi_\gamma=4.61421$
 $Q^2=9.60728$, $x_B=0.510038$, $t=-16.8313$, $W^2=10.109$, $y=0.913287$
 $\theta(l', \gamma)=10.2097$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -1.5720$ $p_y= 1.5720$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 1.5720$ $p_y= -1.5720$ $p_z= 0.0000$
 l' $E= 1.2308$ $p_x= 0.0980$ $p_y= -1.2223$ $p_z= 0.0000$
 P' $E= 2.4077$ $p_x= 0.0000$ $p_y= 2.2175$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.0980$ $p_y= -0.9952$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=94.5%)

