



high_Egamma Tx muon + Tx proton: max $P_{\text{GHZ}+}$ regions



Tx muon + Tx proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_high_egamma txtx_region_0 $P_{\{\text{rm GHZ}\}}=0.92464$
 region: high_Egamma TxTx_region_0
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\mu}\rangle \otimes |\bar{T}_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.21757$
 $\theta_{\text{in}}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_V=1.8$, $\phi_V=4.71239$
 $Q^2=0.0383473$, $x_B=0.00229767$, $t=-4.65453\text{e-}06$, $W^2=17.5311$, $y=0.809201$
 $\theta(l', \gamma)=0$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 0.4307$ $p_x= 0.0000$ $p_y= -0.4176$ $p_z= 0.0000$
 P' $E= 2.4078$ $p_x= 0.0000$ $p_y= 2.2176$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.0000$ $p_y= -1.8000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



Tx muon + Tx proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_high_egamma_txtx_region_1 $P_{\text{GHZ}}=0.881323$
 region: high_Egamma TxTx_region_1
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\mu}\rangle \otimes |T_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.02062$
 $\theta_{\text{in}}=1.57079$, $\phi_l=0.589049$, $\phi_p=3.73064$
 $E_\gamma=1.8$, $\phi_\gamma=4.41786$
 $Q^2=1.50122$, $x_B=0.0910818$, $t=-13.9822$, $W^2=15.8607$, $y=0.799136$
 $\theta(l', \gamma)=77.1671$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 1.8484$ $p_y= 1.2351$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -1.8484$ $p_y= -1.2351$ $p_z= 0.0000$
 l' $E= 0.6108$ $p_x= 0.5225$ $p_y= -0.2981$ $p_z= 0.0000$
 P' $E= 2.2277$ $p_x= 0.0000$ $p_y= 2.0206$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.5225$ $p_y= -1.7225$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=94.6%)



Tx muon + Tx proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_high_egamma_txtx_region_2 $P_{\text{GHZ}}=0.881323$
 region: high_Egamma_TxTx_region_2
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\mu}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.02062$
 $\theta_{\text{in}}=1.57079$, $\phi_l=2.55254$, $\phi_p=5.69414$
 $E_\gamma=1.8$, $\phi_\gamma=5.00691$
 $Q^2=1.50122$, $x_B=0.0910818$, $t=-13.9822$, $W^2=15.8607$, $y=0.799136$
 $\theta(l', \gamma)=77.1671$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -1.8484$ $p_y= 1.2351$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 1.8484$ $p_y= -1.2351$ $p_z= 0.0000$
 l' $E= 0.6108$ $p_x= -0.5225$ $p_y= -0.2981$ $p_z= 0.0000$
 P' $E= 2.2277$ $p_x= 0.0000$ $p_y= 2.0206$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.5225$ $p_y= -1.7225$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=94.6%)

