



mid_Egamma Ty muon: max $C_{p\gamma}$ regions



Ty muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_ty_electron_region_0 $C_{\{p\}\gamma}=0.0454809$
 region: mid_Egamma_Ty_electron_region_0 final-pair delta_xy=2.84707 rad
 outgoing-state purity: 0.514699
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{\gamma,\mu},h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.18202$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=5.00691$
 $Q^2=0.154517$, $x_B=0.0170157$, $t=-0.000259242$, $W^2=9.80615$, $y=0.440286$
 $\theta(l',\gamma)=30.2055$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 1.2634$ $p_x= -0.2903$ $p_y= -1.2251$ $p_z= 0.0000$
 P' $E= 2.3751$ $p_x= 0.0000$ $p_y= 2.1820$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.2903$ $p_y= -0.9569$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=99.3%)



Ty muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_ty_electron_region_1 C_{p\gamma}=0.00587796
 region: mid_Egamma_Ty_electron_region_1 final-pair delta_xy=2.06167 rad
 outgoing-state purity: 0.50016
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{y,\mu}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.80617$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=3.63247$
 $Q^2=1.17964$, $x_B=0.169662$, $t=-0.0311955$, $W^2=6.65312$, $y=0.337114$
 $\theta(l', \gamma)=95.3288$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 1.6033$ $p_x= 0.8819$ $p_y= -1.3348$ $p_z= 0.0000$
 P' $E= 2.0352$ $p_x= 0.0000$ $p_y= 1.8062$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.8819$ $p_y= -0.4714$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=-1, h_\gamma=+1$
 muon Ty, proton h=+1

$h_e=-1, h_p=+1, h_\gamma=-1$
 muon Ty, proton h=-1

$h_e=+1, h_p=+1, h_\gamma=-1$
 muon Ty, proton h=-1


$h_e=-1, h_p=-1, h_\gamma=+1$
 muon Ty, proton h=+1

Leading initial-ensemble/final-state components (N=4, retained=96.2%)



Ty muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_ty_electron_region_2 C_{p\gamma}=0.00153629
 region: mid_Egamma_Ty_electron_region_2 final-pair delta_xy=1.47262 rad
 outgoing-state purity: 0.500017
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{y,\mu},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.49047$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=1$, $\phi_\gamma=0.0981748$
 $Q^2=1.27192$, $x_B=0.282533$, $t=-0.111878$, $W^2=4.10978$, $y=0.218274$
 $\theta(l',\gamma)=127.692$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 ℓ' $E= 1.8775$ $p_x= -0.9952$ $p_y= -1.5885$ $p_z= 0.0000$
 P' $E= 1.7611$ $p_x= 0.0000$ $p_y= 1.4905$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.9952$ $p_y= 0.0980$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=-1, h_\gamma=+1$
 muon Ty, proton h=+1

$h_e=-1, h_p=+1, h_\gamma=-1$
 muon Ty, proton h=-1

$h_e=+1, h_p=+1, h_\gamma=-1$
 muon Ty, proton h=-1


$h_e=-1, h_p=-1, h_\gamma=+1$
 muon Ty, proton h=+1

Leading initial-ensemble/final-state components (N=4, retained=98.6%)



Ty muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_ty_electron_region_3 C_{p\gamma}=0.00113623
 region: mid_Egamma_Ty_electron_region_3 final-pair delta_xy=0.294524 rad
 outgoing-state purity: 0.500013
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{y,\mu}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.16417$
 $\theta_{in}=1.57079$, $\phi_l=3.23977$, $\phi_P=0.0981748$
 $E_Y=1$, $\phi_Y=1.86532$
 $Q^2=9.8789$, $x_B=0.92839$, $t=-4.94769$, $W^2=1.64184$, $y=0.515926$
 $\theta(l', \gamma)=170.918$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -2.2124$ $p_y= -0.2179$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 2.2124$ $p_y= 0.2179$ $p_z= 0.0000$
 l' $E= 2.1435$ $p_x= 0.2903$ $p_y= -2.1211$ $p_z= 0.0000$
 P' $E= 1.4950$ $p_x= 0.0000$ $p_y= 1.1642$ $p_z= 0.0000$
 q_Y $E= 1.0000$ $p_x= -0.2903$ $p_y= 0.9569$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=91.4%)

