



mid\_Egamma Unpolarized: max  $P_W$  regions



# Unpolarized characteristic max $P_W$ configuration

3D momenta




w\_purity\_mid egamma\_unpolarized\_region\_0 P\_W=0.277122  
 region: mid\_Egamma\_unpolarized\_region\_0  
 outgoing-state purity: 0.3034  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{4} \sum_{h_\mu, h_p} \rho(h_\mu, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=2.18202$   
 $\theta_{in}=1.57079$ ,  $\phi_l=4.71239$ ,  $\phi_P=1.5708$   
 $E_\gamma=1$ ,  $\phi_\gamma=5.00691$   
 $Q^2=0.154517$ ,  $x_B=0.0170157$ ,  $t=-0.000259242$ ,  $W^2=9.80615$ ,  $y=0.440286$   
 $\theta(l', \gamma)=30.2055$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2256$   $p_x= -0.0000$   $p_y= -2.2231$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= 0.0000$   $p_y= 2.2231$   $p_z= 0.0000$   
 $\ell'$   $E= 1.2634$   $p_x= -0.2903$   $p_y= -1.2251$   $p_z= 0.0000$   
 $P'$   $E= 2.3751$   $p_x= 0.0000$   $p_y= 2.1820$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= 0.2903$   $p_y= -0.9569$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=96.2%)



# Unpolarized characteristic max $P_W$ configuration

3D momenta




w\_purity\_mid egamma\_unpolarized\_region\_1 P\_W=0.188833  
 region: mid\_Egamma\_unpolarized\_region\_1  
 outgoing-state purity: 0.267168  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{4} \sum_{h_\mu, h_p} \rho(h_\mu, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=1.49047$   
 $\theta_{in}=1.57079$ ,  $\phi_\ell=4.71239$ ,  $\phi_P=1.5708$   
 $E_\gamma=1$ ,  $\phi_\gamma=0.0981748$   
 $Q^2=1.27192$ ,  $x_B=0.282533$ ,  $t=-0.111878$ ,  $W^2=4.10978$ ,  $y=0.218274$   
 $\theta(\ell', \gamma)=127.692$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2256$   $p_x= -0.0000$   $p_y= -2.2231$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= 0.0000$   $p_y= 2.2231$   $p_z= 0.0000$   
 $\ell'$   $E= 1.8775$   $p_x= -0.9952$   $p_y= -1.5885$   $p_z= 0.0000$   
 $P'$   $E= 1.7611$   $p_x= 0.0000$   $p_y= 1.4905$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= 0.9952$   $p_y= 0.0980$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=98.6%)



# Unpolarized characteristic max $P_W$ configuration

3D momenta




w\_purity\_mid\_egamma\_unpolarized\_region\_2 P\_W=0.175011  
 region: mid\_Egamma\_unpolarized\_region\_2  
 outgoing-state purity: 0.393872  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{4} \sum_{h_\mu, h_p} \rho(h_\mu, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=2.22204$   
 $\theta_{in}=1.57079$ ,  $\phi_l=2.94524$ ,  $\phi_p=6.08684$   
 $E_\gamma=1$ ,  $\phi_\gamma=4.71239$   
 $Q^2=6.4976$ ,  $x_B=0.41214$ ,  $t=-11.8071$ ,  $W^2=10.1478$ ,  $y=0.764395$   
 $\theta(l', \gamma)=0$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2256$   $p_x= -2.1804$   $p_y= 0.4337$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= 2.1804$   $p_y= -0.4337$   $p_z= 0.0000$   
 $l'$   $E= 1.2266$   $p_x= 0.0000$   $p_y= -1.2220$   $p_z= 0.0000$   
 $P'$   $E= 2.4119$   $p_x= 0.0000$   $p_y= 2.2220$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= -0.0000$   $p_y= -1.0000$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=92.0%)



# Unpolarized characteristic max $P_W$ configuration

3D momenta




w\_purity\_mid\_egamma\_unpolarized\_region\_3 P\_W=0.167908  
 region: mid\_Egamma\_unpolarized\_region\_3  
 outgoing-state purity: 0.250301  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{4} \sum_{h_\mu, h_p} \rho(h_\mu, h_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=1.15252$   
 $\theta_{in}=1.57079$ ,  $\phi_l=4.71239$ ,  $\phi_p=1.5708$   
 $E_\gamma=1$ ,  $\phi_\gamma=1.47262$   
 $Q^2=0.00995198$ ,  $x_B=0.0144656$ ,  $t=-0.286999$ ,  $W^2=1.55787$ ,  $y=0.0333568$   
 $\theta(l', \gamma)=176.988$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2256$   $p_x= -0.0000$   $p_y= -2.2231$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= 0.0000$   $p_y= 2.2231$   $p_z= 0.0000$   
 $l'$   $E= 2.1525$   $p_x= -0.0980$   $p_y= -2.1477$   $p_z= 0.0000$   
 $P'$   $E= 1.4860$   $p_x= 0.0000$   $p_y= 1.1525$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= 0.0980$   $p_y= 0.9952$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=100.0%)

