



mid\_Egamma L\_electron: max  $C_{ep}$  regions



# L\_electron characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_mid\_egamma\_l\_electron\_region\_0  $C_{ep}=1.16948e-13$   
region: mid\_Egamma\_L\_electron\_region\_0 final-pair delta\_xy=3.09602 rad  
kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
incoming state:  $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.15398$   
 $\theta_{in}=1.57079$ ,  $\phi_l=1.66897$ ,  $\phi_P=4.81056$   
 $E_\gamma=1$ ,  $\phi_\gamma=1.66897$   
 $Q^2=19.1292$ ,  $x_B=0.9658$ ,  $t=-10.5296$ ,  $W^2=1.55723$ ,  $y=0.959808$   
 $\theta(l', \gamma)=176.986$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= -0.2180$   $p_y= 2.2137$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.2180$   $p_y= -2.2137$   $p_z= 0.0000$   
 $l'$   $E= 2.1514$   $p_x= 0.0980$   $p_y= -2.1492$   $p_z= 0.0000$   
 $P'$   $E= 1.4871$   $p_x= 0.0000$   $p_y= 1.1540$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= -0.0980$   $p_y= 0.9952$   $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$   
electron L, proton h=+1


$h_e=+1, h_p=+1, h_\gamma=-1$   
electron L, proton h=+1

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



# L\_electron characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_mid\_egamma\_l\_electron\_region\_1  $C_{ep}$ =4.4719e-14  
region: mid\_Egamma L\_electron\_region\_1 final-pair delta\_xy=2.90936 rad  
kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
incoming state:  $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.18436$   
 $\theta_{in}=1.57079$ ,  $\phi_i=4.71239$ ,  $\phi_P=1.5708$   
 $E_\gamma=1$ ,  $\phi_\gamma=4.41786$   
 $Q^2=0.150634$ ,  $x_B=0.0165792$ ,  $t=-0.000246022$ ,  $W^2=9.81493$ ,  $y=0.440285$   
 $\theta(l', \gamma)=30.181$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= -0.0000$   $p_y= -2.2244$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.0000$   $p_y= 2.2244$   $p_z= 0.0000$   
 $l'$   $E= 1.2613$   $p_x= 0.2903$   $p_y= -1.2274$   $p_z= 0.0000$   
 $P'$   $E= 2.3772$   $p_x= 0.0000$   $p_y= 2.1844$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= -0.2903$   $p_y= -0.9569$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



# L\_electron characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_mid\_egamma\_l\_electron\_region\_2  $C_{ep}$ =1.05627e-16  
 region: mid\_Egamma L\_electron\_region\_2 final-pair delta\_xy=2.54579 rad  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.6417$   
 $\theta_{in}=1.57079$ ,  $\phi_l=4.71239$ ,  $\phi_p=1.5708$   
 $E_\gamma=1$ ,  $\phi_\gamma=6.08684$   
 $Q^2=1.33971$ ,  $x_B=0.232516$ ,  $t=-0.0656894$ ,  $W^2=5.30195$ ,  $y=0.279212$   
 $\theta(l', \gamma)=112.887$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= -0.0000$   $p_y= -2.2244$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.0000$   $p_y= 2.2244$   $p_z= 0.0000$   
 $l'$   $E= 1.7477$   $p_x= -0.9808$   $p_y= -1.4466$   $p_z= 0.0000$   
 $P'$   $E= 1.8908$   $p_x= 0.0000$   $p_y= 1.6417$   $p_z= 0.0000$   
 $q_Y$   $E= 1.0000$   $p_x= 0.9808$   $p_y= -0.1951$   $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$   
 electron L, proton h=+1


$h_e=+1, h_p=+1, h_\gamma=-1$   
 electron L, proton h=-1

Leading initial-ensemble/final-state components (N=2, retained=97.7%)



# L\_electron characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_mid\_egamma\_l\_electron\_region\_3  $C_{ep}=1.66919\text{e-}17$   
 region: mid\_Egamma L\_electron\_region\_3 final-pair delta\_xy=2.62807 rad  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.40644$   
 $\theta_{in}=1.57079$ ,  $\phi_l=4.81056$ ,  $\phi_P=1.66897$   
 $E_Y=1$ ,  $\phi_Y=2.84707$   
 $Q^2=0.736836$ ,  $x_B=0.22319$ ,  $t=-0.175673$ ,  $W^2=3.44439$ ,  $y=0.159981$   
 $\theta(l', \gamma)=136.298$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 0.2180$   $p_y= -2.2137$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -0.2180$   $p_y= 2.2137$   $p_z= 0.0000$   
 $l'$   $E= 1.9480$   $p_x= 0.9569$   $p_y= -1.6967$   $p_z= 0.0000$   
 $P'$   $E= 1.6905$   $p_x= 0.0000$   $p_y= 1.4064$   $p_z= 0.0000$   
 $q_Y$   $E= 1.0000$   $p_x= -0.9569$   $p_y= 0.2903$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=98.0%)

