



low\_Egamma L\_proton: max  $F_3$  regions



# L\_proton characteristic max $F_3$ configuration

3D momenta




f3\_low\_egamma\_l\_proton\_region\_0  $F_3=8.0454e-14$   
 region: low\_Egamma\_L\_proton\_region\_0  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.69835$   
 $\theta_{in}=1.57079$ ,  $\phi_l=1.5708$ ,  $\phi_P=4.71239$   
 $E_Y=0.5$ ,  $\phi_Y=1.5708$   
 $Q^2=19.5602$ ,  $x_B=0.987788$ ,  $t=-15.1635$ ,  $W^2=1.12166$ ,  $y=0.959586$   
 $\theta(l', \gamma)=180$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 0.0000$   $p_y= 2.2244$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -0.0000$   $p_y= -2.2244$   $p_z= 0.0000$   
 $l'$   $E= 2.1984$   $p_x= -0.0000$   $p_y= -2.1984$   $p_z= 0.0000$   
 $P'$   $E= 1.9402$   $p_x= 0.0000$   $p_y= 1.6984$   $p_z= 0.0000$   
 $q_Y$   $E= 0.5000$   $p_x= 0.0000$   $p_y= 0.5000$   $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_Y=+1$   
 electron  $h=+1$ , proton L


$h_e=+1, h_p=+1, h_Y=-1$   
 electron  $h=+1$ , proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



# L\_proton characteristic max $F_3$ configuration

3D momenta




f3\_low\_egamma\_l\_proton\_region\_1 F\_3=0  
 region: low\_Egamma\_L\_proton\_region\_1  
 outgoing-state purity: 0.740365  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.92943$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_P=3.14159$   
 $E_Y=0.5$ ,  $\phi_Y=0$   
 $Q^2=11.0917$ ,  $x_B=0.837928$ ,  $t=-8.59851$ ,  $W^2=3.0252$ ,  $y=0.641453$   
 $\theta(l', \gamma)=104.528$  deg


four-momenta  $[E, p_x, p_y, p_z]$  GeV:

$l$   $E= 2.2244$   $p_x= 2.2244$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -2.2244$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 1.9932$   $p_x= -0.5000$   $p_y= -1.9294$   $p_z= 0.0000$   
 $P'$   $E= 2.1454$   $p_x= 0.0000$   $p_y= 1.9294$   $p_z= 0.0000$   
 $q_Y$   $E= 0.5000$   $p_x= 0.5000$   $p_y= 0.0000$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=7, retained=98.2%)



# L\_proton characteristic max $F_3$ configuration

3D momenta




f3\_low\_egamma\_l\_proton\_region\_2 F\_3=0  
 region: low\_Egamma\_L\_proton\_region\_2  
 outgoing-state purity: 0.707489  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.70232$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_p=3.14159$   
 $E_\gamma=0.5$ ,  $\phi_\gamma=1.37445$   
 $Q^2=10.1986$ ,  $x_B=0.973834$ ,  $t=-7.62459$ ,  $W^2=1.15387$ ,  $y=0.507494$   
 $\theta(l', \gamma)=171.297$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 2.2244$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -2.2244$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 2.1949$   $p_x= -0.0975$   $p_y= -2.1927$   $p_z= 0.0000$   
 $P'$   $E= 1.9436$   $p_x= 0.0000$   $p_y= 1.7023$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.5000$   $p_x= 0.0975$   $p_y= 0.4904$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



# L\_proton characteristic max $F_3$ configuration

3D momenta




f3\_low\_egamma\_l\_proton\_region\_3 F\_3=0  
 region: low\_Egamma\_L\_proton\_region\_3  
 outgoing-state purity: 0.647447  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{2} \sum_{h_e} \rho(h_e, L_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.83465$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_p=3.14159$   
 $E_V=0.5$ ,  $\phi_V=2.74889$   
 $Q^2=7.18953$ ,  $x_B=0.84108$ ,  $t=-8.18896$ ,  $W^2=2.23828$ ,  $y=0.414226$   
 $\theta(l', \gamma)=125.344$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 2.2244$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -2.2244$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 2.0780$   $p_x= 0.4619$   $p_y= -2.0260$   $p_z= 0.0000$   
 $P'$   $E= 2.0605$   $p_x= 0.0000$   $p_y= 1.8347$   $p_z= 0.0000$   
 $q_V$   $E= 0.5000$   $p_x= -0.4619$   $p_y= 0.1913$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)

