



mid_Egamma LTx: max $C_{p\gamma}$ regions



LTx characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_ltx_region_0 C_{p\gamma}=0.99965
 region: mid_Egamma LTx_region_0 final-pair delta_xy=0.19635 rad
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_e T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.15835$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=1.76715$
 $Q^2=0.0394957$, $x_B=0.0527784$, $t=-0.283483$, $W^2=1.58868$, $y=0.0362634$
 $\theta(l', \gamma)=173.961$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 2.1480$ $p_x= 0.1951$ $p_y= -2.1391$ $p_z= 0.0000$
 P' $E= 1.4905$ $p_x= 0.0000$ $p_y= 1.1583$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.1951$ $p_y= 0.9808$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



LTx characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_ltx_region_1 C_{p\gamma}=0.984076
 region: mid_Egamma LTx_region_1 final-pair delta_xy=1.5708 rad
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_e T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.5395$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=1$, $\phi_\gamma=3.14159$
 $Q^2=1.31807$, $x_B=0.267706$, $t=-0.0953632$, $W^2=4.48534$, $y=0.238591$
 $\theta(l', \gamma)=123.006$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l	$E=$	2.2244	$p_x=$	-0.0000	$p_y=$	-2.2244	$p_z=$	-0.0000
P	$E=$	2.4141	$p_x=$	0.0000	$p_y=$	2.2244	$p_z=$	0.0000
l'	$E=$	1.8358	$p_x=$	1.0000	$p_y=$	-1.5395	$p_z=$	0.0000
P'	$E=$	1.8027	$p_x=$	0.0000	$p_y=$	1.5395	$p_z=$	0.0000
q_γ	$E=$	1.0000	$p_x=$	-1.0000	$p_y=$	0.0000	$p_z=$	0.0000


Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.3%)



LTx characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_ltx_region_2 C_{p\gamma}=0.971176
 region: mid_Egamma_LTx_region_2 final-pair delta_xy=1.1781 rad
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_e T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{p}|=2.22442$, $|\vec{p}'|=1.36819$
 $\theta_{in}=1.57079$, $\phi_l=4.61421$, $\phi_p=1.47262$
 $E_\gamma=1$, $\phi_\gamma=0.392699$
 $Q^2=0.65254$, $x_B=0.223238$, $t=-0.192038$, $W^2=3.15038$, $y=0.141649$
 $\theta(l', \gamma)=140.319$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.2180$ $p_y= -2.2137$ $p_z= -0.0000$
 p $E= 2.4141$ $p_x= 0.2180$ $p_y= 2.2137$ $p_z= 0.0000$
 l' $E= 1.9797$ $p_x= -0.9239$ $p_y= -1.7509$ $p_z= 0.0000$
 p' $E= 1.6588$ $p_x= 0.0000$ $p_y= 1.3682$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.9239$ $p_y= 0.3827$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=100.0%)

