



low_Egamma Tx_electron: max C_{ey} regions



Tx_electron characteristicmax $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_tx_electron_region_0 $C_{e\gamma}=0.535885$
 region: low_Egamma_Tx_electron_region_0 final-pair delta_xy=0.252753 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{X,e},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21798$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=4.51604$
 $Q^2=0.0122417$, $x_B=0.00266368$, $t=-6.26289e-06$, $W^2=5.46338$, $y=0.222707$
 $\theta(l',\gamma)=14.4817$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.7303$ $p_x= 0.0975$ $p_y= -1.7276$ $p_z= 0.0000$
 P' $E= 2.4082$ $p_x= 0.0000$ $p_y= 2.2180$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.0975$ $p_y= -0.4904$ $p_z= 0.0000$

Transverse plane




$h_e=-1, h_p=+1, h_\gamma=+1$
 electron Tx, proton h=+1
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron Tx, proton h=-1
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron Tx, proton h=-1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron Tx, proton h=+1
 $h_e=-1, h_p=+1, h_\gamma=-1$
 electron Tx, proton h=-1
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron Tx, proton h=+1
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron Tx, proton h=+1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron Tx, proton h=-1

Leading initial-ensemble/final-state components (N=8, retained=98.9%)



Tx_electron characteristicmax $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_tx_electron_region_1 $C_{e\gamma}=0.249411$
 region: low_Egamma_Tx_electron_region_1 final-pair delta_xy=0.74617 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{X,e},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.16913$
 $\theta_{in}=1.57079$, $\phi_l=5.79231$, $\phi_p=2.65072$
 $E_\gamma=0.5$, $\phi_\gamma=5.30144$
 $Q^2=5.31059$, $x_B=0.560342$, $t=-5.10155$, $W^2=5.04666$, $y=0.459266$
 $\theta(l',\gamma)=42.7524$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.9618$ $p_y= -1.0486$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.9618$ $p_y= 1.0486$ $p_z= 0.0000$
 l' $E= 1.7753$ $p_x= -0.2778$ $p_y= -1.7534$ $p_z= 0.0000$
 P' $E= 2.3633$ $p_x= 0.0000$ $p_y= 2.1691$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.2778$ $p_y= -0.4157$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=81.3%)

