



low_Egamma Tx_proton: max C_{ep} regions



Tx_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_tx_proton_region_0 $C_{ep}=2.72871e-12$
 region: low_Egamma_Tx_proton_region_0 final-pair delta_xy=2.94361 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.79454$
 $\theta_{in}=1.57079$, $\phi_l=0.589049$, $\phi_p=3.73064$
 $E_V=0.5$, $\phi_V=0.589049$
 $Q^2=16.063$, $x_B=0.939857$, $t=-12.4524$, $W^2=1.90775$, $y=0.828209$
 $\theta(l', \gamma)=135.094$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.8495$ $p_y= 1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.8495$ $p_y= -1.2358$ $p_z= 0.0000$
 l' $E= 2.1136$ $p_x= -0.4157$ $p_y= -2.0723$ $p_z= 0.0000$
 P' $E= 2.0249$ $p_x= 0.0000$ $p_y= 1.7945$ $p_z= 0.0000$
 q_Y $E= 0.5000$ $p_x= 0.4157$ $p_y= 0.2778$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=95.9%)



Tx_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_tx_proton_region_1 $C_{ep}=2.5564e-12$
 region: low_Egamma_Tx_proton_region_1 final-pair delta_xy=3.07529 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2} \sum_{h_e} \rho(h_e, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.70726$
 $\theta_{in}=1.57079$, $\phi_l=1.86532$, $\phi_P=5.00691$
 $E_\gamma=0.5$, $\phi_\gamma=1.86532$
 $Q^2=19.2381$, $x_B=0.983929$, $t=-14.9138$, $W^2=1.19407$, $y=0.947485$
 $\theta(l', \gamma)=166.924$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.6457$ $p_y= 2.1286$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.6457$ $p_y= -2.1286$ $p_z= 0.0000$
 l' $E= 2.1905$ $p_x= 0.1451$ $p_y= -2.1857$ $p_z= 0.0000$
 P' $E= 1.9480$ $p_x= 0.0000$ $p_y= 1.7073$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.1451$ $p_y= 0.4785$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.8%)



Tx_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_tx_proton_region_2 $C_{ep}=1.37133e-12$
 region: low_Egamma_Tx_proton_region_2 final-pair delta_xy=2.96368 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.15053$
 $\theta_{in}=1.57079$, $\phi_t=5.39961$, $\phi_p=2.25802$
 $E_\gamma=0.5$, $\phi_\gamma=5.39961$
 $Q^2=2.80248$, $x_B=0.41146$, $t=-2.17254$, $W^2=4.88843$, $y=0.330057$
 $\theta(l', \gamma)=49.5686$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.4112$ $p_y= -1.7195$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.4112$ $p_y= 1.7195$ $p_z= 0.0000$
 l' $E= 1.7923$ $p_x= -0.3172$ $p_y= -1.7640$ $p_z= 0.0000$
 P' $E= 2.3462$ $p_x= 0.0000$ $p_y= 2.1505$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.3172$ $p_y= -0.3865$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Tx_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_tx_proton_region_3 C_{ep} =9.33906e-13
 region: low_Egamma_Tx_proton_region_3 final-pair delta_xy=2.96368 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.15053$
 $\theta_{in}=1.57079$, $\phi_i=4.02517$, $\phi_p=0.883573$
 $E_\gamma=0.5$, $\phi_\gamma=4.02517$
 $Q^2=2.80248$, $x_B=0.41146$, $t=-2.17254$, $W^2=4.88843$, $y=0.330057$
 $\theta(l', \gamma)=49.5686$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.4112$ $p_y= -1.7195$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.4112$ $p_y= 1.7195$ $p_z= 0.0000$
 l' $E= 1.7923$ $p_x= 0.3172$ $p_y= -1.7640$ $p_z= 0.0000$
 P' $E= 2.3462$ $p_x= 0.0000$ $p_y= 2.1505$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.3172$ $p_y= -0.3865$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron h=+1, proton Tx
 $h_e=-1, h_p=+1, h_\gamma=-1$
 electron h=-1, proton Tx
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron h=+1, proton Tx
 $h_e=-1, h_p=+1, h_\gamma=+1$
 electron h=-1, proton Tx
 $h_e=-1, h_p=-1, h_\gamma=-1$
 electron h=-1, proton Tx
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron h=-1, proton Tx
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron h=+1, proton Tx
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron h=+1, proton Tx

Leading initial-ensemble/final-state components (N=8, retained=100.0%)

