



mid_Egamma TxTx: max C_{ey} regions



TxTx characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_txtx_region_0 $C_{e\gamma}=0.768954$
 region: mid_Egamma TxTx_region_0 final-pair delta_xy=0.178039 rad
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|T_{x,e}T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21987$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=4.61421$
 $Q^2=0.0174221$, $x_B=0.00188233$, $t=-3.12344e-06$, $W^2=10.118$, $y=0.448518$
 $\theta(l', \gamma)=10.2009$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 1.2286$ $p_x= 0.0980$ $p_y= -1.2247$ $p_z= 0.0000$
 P' $E= 2.4099$ $p_x= 0.0000$ $p_y= 2.2199$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.0980$ $p_y= -0.9952$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=-1$
 electron Tx, proton Tx

$h_e=-1, h_p=+1, h_\gamma=+1$
 electron Tx, proton Tx

$h_e=+1, h_p=-1, h_\gamma=-1$
 electron Tx, proton Tx

$h_e=-1, h_p=-1, h_\gamma=+1$
 electron Tx, proton Tx

$h_e=+1, h_p=-1, h_\gamma=+1$
 electron Tx, proton Tx

$h_e=-1, h_p=+1, h_\gamma=-1$
 electron Tx, proton Tx

Leading initial-ensemble/final-state components (N=6, retained=98.6%)

