


electron: polarization cluster P4; representative configuration and pairwise projections of its 7D contour




coherent mixing angles: minimum D_W configuration (gradient_local_minimum)

dw_mixing_angles_local_minimum D_W=3.80286e-05
region: selected_local_minimum
outgoing-state purity: 1
kinematic point: gradient_local_minimum
lepton mixing angle: theta_e=1.6971122 rad
incoming lepton: -0.12598|+> +0.992033|->
proton mixing angle: theta_p=3.0476416 rad
incoming proton: -0.99559|+> +0.0938129|->


$s=5.32553$, $\sqrt{s}=2.30771$, $|\vec{P}|=0.963224$, $|\vec{P}'|=0.499949$
 $\theta_{\text{out}}=1.9787$, $\phi_{p'}=5.0581$, $\phi_\gamma=1.36481$
 $E_\gamma=0.673565$, $\theta_{\ell'}=0.618186$, $\phi_{\ell'}=3.69306$
 $Q^2=1.99722$, $x_B=0.524695$, $t=-1.48052$, $W^2=2.68907$, $y=0.856213$

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 0.9632$ $p_x= 0.0000$ $p_y= 0.0000$ $p_z= -0.9632$
 P $E= 1.3445$ $p_x= 0.0000$ $p_y= 0.0000$ $p_z= 0.9632$
 ℓ' $E= 0.5712$ $p_x= -0.2820$ $p_y= -0.1735$ $p_z= 0.4655$
 P' $E= 1.0629$ $p_x= 0.1555$ $p_y= -0.4318$ $p_z= -0.1983$
 q_γ $E= 0.6736$ $p_x= 0.1265$ $p_y= 0.6052$ $p_z= -0.2672$


3D momenta



Transverse plane



Leading final-state amplitudes (N=6, retained=98.1%)



electron: polarization cluster P4, representative local minimum; pairwise projections of the 7D $D_W = (D_W)_{\text{local}} + 0.05$ contour

